

GUIDED
BY
NATURE





SCHELLEVIS®

GUIDED BY NATURE

Balance and tranquillity in the outdoor space

We believe it's important that an outdoor space is well-balanced and exudes tranquillity. Because in a living environment like that, you can relax; you're in your element, enjoying it. Whether alone or together with others. The outdoor space is the domain of Schellevis® and nature is a major source of inspiration.

So in this brochure, we show you outdoor spaces that inspire us and hopefully give you ideas for creating an outdoor space that's right for you. You'll see a number of our products used in a variety of outdoor spaces, in different ways and often combined.

We highlight several special projects in more detail. Our partners tell you why they chose Schellevis® products for that particular highlighted project. Also, see the tips for applications and combinations in product group 'Information' to get more ideas.



CONTENTS

SCHELLEVIS® GUIDED BY NATURE	4
UNIQUENESS OF SCHELLEVIS®	8
NATURAL EXPERIENCE	10
SUSTAINABILITY	12
FROM SAND TO CONCRETE	16
SCHELLEVIS® PRODUCTS	18
THICKNESSES, PICTOGRAMS AND COLOURS	20
INSPIRATION OUTDOOR SPACES	22
- DRIVEWAY	24
- ENTRANCE	30
- GARDEN	38
- PATIO	50
- SWIMMING POOL	60
- ROOFTOP	70
- PUBLIC REALM / COMMERCIAL	78
RANGE	
- BLOCK PAVERS	28
- SPECIAL SHAPE SLABS	36
- LARGE FORMAT SLABS	42
- STEPS	48
- SLABS	54
- SEATING ELEMENTS	58
- POOL COPINGS	64
- STACKABLE ELEMENTS	68
- CURB STONES	76
- GRASS PAVERS	86
- ASSORTMENT OVERVIEW SCHELLEVIS®	88
JOINTS	92
MAINTENANCE	94
INSPIRATION	96
YOUR GARDEN IN THE PICTURE!	98
PARTNERS	100
ACKNOWLEDGEMENTS	102



UNIQUENESS SCHELLEVIS®

Guided by Nature



Versatile

Our products offer a wide array of possibilities for designing the outdoor space. In every type and every style: from modern to classic and from farmhouse to city home. Schellevis® products provide balance and always support the design. You can endlessly vary the ways in which you use the products. Lay them or place them standing or suspended. It's all possible.



Connecting

Whether it's a concrete block paver or a large format slab, a swimming pool coping or a seating element, a stackable element or a step, all the products are available in the same, characteristic traditional Dutch Schellevis® structure and colour and in any size or thickness you like. Combine them together to create balance and tranquillity in the outdoor space.



Timeless

Years pass and times change but designers and landscapers continue to choose Schellevis® time and again. We are proud that they have been using our products for many years.



OUTDOOR SPACE

“We don’t only want our products to be sustainable and versatile. They must also contribute to the natural experience of the outdoor space.”





SCHELLEVIS® AND SUSTAINABILITY

Guided by Nature

To have future generations enjoy a healthy outdoor space. To achieve that ambition, we have to put the work in now.

With outdoor space as our domain and nature as the greatest source of inspiration, sustainability has been an important theme at Schellevis® for years. In everything we do, we aim for the best quality while trying to make the smallest possible impact on people and nature. That means in practice that we use natural materials in our production process and recycle as much as possible. At present, more than 25% of material consists of recycled materials.

Delivery of sand and gravel takes place by boat. We do that because a single delivery of raw materials by boat is equal to 40 deliveries by lorry. In addition, we work with suppliers that are located in the vicinity of our production location. The average distance at present is roughly 70 kilometres. That way, before production starts, we have already saved many kilometres in transport and emissions.

The production is expertly designed and developed. Our machines have not only a minimal energy requirement but also a minimum wastage. In addition, the Schellevis® products are dried naturally and everything is 100% recyclable. If products don't pass our strict quality control, we recycle them as a basic component to make new Schellevis® products. Our internal transport consists largely of electrical forklift trucks and bikes.

And our focus on sustainability doesn't stop here. Without making any concessions to quality, we continue to test and innovate in order to further improve the composition and the production. Testing alternative components in place of cement, for example. That way, we minimise the impact on nature.

Certifications

Naturally, we are doing good things in the area of sustainability but, we're not the only ones who think so. Just as we do in regards to quality, we ask independent bodies to assess our level of sustainability. Since 2016, we have had an NL Greenlabel and since 2022, we are one of the first producers of concrete slabs to have been awarded the CSC Certificate. CSC stands for Concrete Sustainability Council. It's a worldwide certification system that gives insight into and assurance about the sustainable, responsible origin of the raw materials used, an optimum production process and recyclability in the concrete industry.





Interested?

If you'd like to find out more about sustainability and what that means at Schellevis®, go to www.schellevis.nl/sustainability or get in touch with us to request our sustainability agenda.



**SCHELLEVIS®:
FROM SAND
TO CONCRETE**

Guided by Nature



SCHELLEVIS® PRODUCTS

Guided by Nature

A list of all the benefits



Sustainable: All products are made from natural raw materials and are 100% recyclable.



Unique appearance: The open structure, also known as lava or traditional Dutch structure, of Schellevis® products is unique in its kind.



Variety: The products in the Schellevis® range are available in a wide variety of colours, sizes and models. They combine excellently, forming a tranquil whole.



Creative freedom: Incorporate them flat, floating or standing. Both the top and side can be placed in sight, since both are provided with the characteristic Schellevis® structure.



Large format: The wide range of sizes available in Schellevis® large format slabs is unique.



THICKNESSES PICTOGRAMS COLOURS

Guided by Nature

Schellevis® products are applied in many spaces and ways.

Thicknesses

In order to enjoy your outdoor space for a long time, it's important to choose the right product for the right place. That's why we make our slabs in a variety of thicknesses and provide them with reinforcement where necessary.

Schellevis® slabs are available in thicknesses from 5 to 12 centimetres.

Products that are 5 centimetres thick are ideal for an entrance, on a patio or rooftop patio or in the garden. Products of 7 centimetres thick or more can also be used on a driveway, for example.

Pictograms

Have a look at the pictograms in the table on the 'Product Group' page to see the ways a product can be used.



Patio or rooftop patio




Driveway



Steps



Wall




Palisade




Permeable Paving

Colours


The Schellevis® colour range consists of 6 basic colours, each of which is made using natural colouring agents and inspired by colours you would see in nature. Ranging from carbon to creme, and anthracite to red brown. Choose a colour that suits your style.




Grey




Anthracite




Carbon



Taupe



Red brown



Creme




INSPIRATION OUTDOOR SPACES

Guided by Nature

INSPIRATION

Driveway in Kudelstaart (NL)



“Thick block pavers were the best choice here. They have the right robustness for parking cars on them.”

Ronald Wesselings
Wesselings Landscaping Firm

The characteristic veranda house in Kudelstaart has a rustic appearance. It's a traditional Swedish home which is as charming and stately as it is inviting. Landscaper Ronald Wesselings was commissioned to make a fitting paving and planting design for it.

“The soft peat soil in this area was quite a challenge. You can enter the house on all sides”, Ronald Wesselings tells us. “To avoid subsidence, I therefore chose to place hardwood beams under the steps as an extra foundation. The corner elements and half steps by Schellevis® ensure a lovely finish to the whole thing.”

For the driveway/entrance, Wesselings chose large format block pavers because they guarantee the sturdiness needed for a parked car. Using anthracite coloured block pavers in this project gives the whole appearance a uniqueness that is entirely in keeping with the characteristic house.



1. Block paver (large) 210x70x80 - anthracite.
2. Block model step 1000x404x200 and Corner 200x200x200 - anthracite

MORE DRIVEWAY INSPIRATION

Choose for paving with a thickness of at least 7 centimetres for your driveway. This ensures it can carry the weight of a car.



1. Berlicum Driveway project - Large format slabs 1500x1200x100 - anthracite
2. Numansdorp Driveway project - Large format slabs 1000x1000x80 - taupe
3. Tilburg Driveway project - Large format slabs 2000x1000x100 - carbon with wide joint



Driveway project Numansdorp - Block paver (large) 210x70x80- taupe

ASSORTMENT BLOCK PAVERS

Schellevis® block pavers are ideal for use on a patio or driveway. They are also often used as edging or a decorative connection. That might be mosaic with a herringbone or stretcher bond, for example.

Schellevis® block pavers are available in two sizes and a variety of colours. Thanks to their recognisable traditional Dutch appearance and structure, the block pavers are easy to combine with other products in the Schellevis® range. Particularly if you choose those products in the same colour.



















- Product features**
- Unique Schellevis® structure and appearance
 - No bevel
 - Durable due to the use of natural raw materials and colouring agents
 - Non-slip
 - Resistant to frost and road salt



TIP | Block pavers are regularly used as edging or decoration. That might be mosaic with a herringbone or stretcher bond, for example.




- Combines well with Schellevis®**
- Slabs - page 54
 - Seating elements - page 58
 - Curb stones - page 76

	I x b x d in mm	Type	kg	Colours	Can be used for
	210x70x80	Block paver large	2,6	     	 
	150x50x70	Block paver small	1	 	 
	400x100x100	Block paver XL	9		 

INSPIRATION

Entrance
in Numansdorp (NL)



“A low-maintenance entrance that fits with the landscape”

Eric Bijl
Eric Bijl Garden Design

This villa garden is situated in the Zuid-Holland polder landscape. An important factor in the design was to have the garden fit in with its natural surroundings, which are predominantly green. In addition, Eric Bijl was commissioned to design an outdoor space that requires little maintenance, feels spacious and has a fresh appearance.

So a combination of gravel and Schellevis® 1000x1000 mm anthracite large format slabs was chosen for the entrance. That has a playful and spacious appearance. Combining the slabs with gravel ensures good drainage.



ENTRANCE INSPIRATION

Make an unforgettable first impression and create a seamless transition from indoors to outdoors with your entrance.



1. Twente Entrance project - Large format slabs 1200x1200x70 and Large format slabs 2400x1200x120 - grey
2. Heeze Entrance project - Steps 1000x400x200 and Curb stones 1000x300x50 - grey
3. Westland Entrance project - Large format slabs 1000x1000x50 - anthracite

1. Bergeijk Patio project - Large format slabs 2000x1000x100 - grey
2. Didam Patio project - Large format slabs 1000x1000x50 - creme
3. Schijndel Patio project - Slab 500x500x50 - taupe



**MORE ENTRANCE
INSPIRATION**



The new Schellevis® Trapezium slabs is based on the design above, by horticulturist and garden designer Rik Weijs.
1. Entrance Nijmegen project - Special - grey





ASSORTMENT SPECIAL SHAPE SLABS













For those looking for something just a little bit different, Schellevis® special shape slabs are the perfect choice. They make it possible for you to pave your outdoor space in a creative way, using an unusual element that catches the eye.

You can make straight or round passageways with a playful touch. The characteristic and organic form of these slabs enhance sightlines and are ideal to create walkways. Give your imagination free rein and discover the endless possibilities that Schellevis® special shape slabs have to offer in bringing your outdoor space to life.

- Product features**
- Unique Schellevis® structure and appearance
 - No bevel
 - Durable due to the use of natural raw materials and colouring agents
 - Non-slip
 - Resistant to frost and road salt

 **TIP | Make an attractive walkway by combining the special shape slabs with gravel or planting.**

-  **Combines well with Schellevis®**
- Large format slabs - page 42
 - Steps - page 48
 - Seating elements - page 58
 - Curb stones - page 76


	I x b x d in cm	Type	kg	Colours	Reinforced	Can be used for
	1200x300/600x80	Trapezium	98	● ●	✓	 
	Ø600 x 70	Round Slabs	45	● ●	-	 
	Ø800 x 70	Round Slabs	79	● ●	✓	 
	Ø1000 x 80	Round Slabs	142	● ●	✓	 

INSPIRATION

Garden in Beek-Ubbergen (NL)

“Differences in height can be perfectly bridged with Schellevis® large format slabs”

*Jaap Sterk
Garden Designer*



Jaap Sterk used Schellevis® large format slabs to make an amphitheatre on the slope of an old pushed moraine. From here, you can see children playing in the bathing pond in the middle of the garden. The garden in Beek-Ubbergen was named Garden of the Year 2016. The jury report was extremely enthusiastic: ‘A beautiful patio garden with a huge wow factor.’



The big differences in height are characteristic of the location. “People often choose to just flatten everything”, Jaap Sterk tells us. “But that only makes such a garden smaller. I really enjoyed exploiting that difference in height.”

The garden architect used robust Schellevis® large format slabs for the patio. Two lorries delivered 800 kilos of heavy large format slabs, 2400 mm long and 120 mm thick. A crane hoisted the slabs into the garden. “You can only lay slabs of such a size in a large garden and at a large house”, Jaap Sterk continues. “The proportions are really important.” The patio slabs form steps to the other eye-catcher at a lower level of the garden: a bathing pond where the children can play and swim in the summer.

For the patio and the steps down to the pond, Jaap Sterk used anthracite grey Schellevis® large format slabs, 2400 by 1200 mm and 2000 by 1000 mm. Mortared brick walls under the step slabs make it look as though the heavy concrete slabs are floating. Gaps were left here and there so it looks as though plants are spontaneously growing between the slabs.





GARDEN INSPIRATION

Create multiple spots in your garden for winding down in a green environment.



1. Veenendaal Garden project - Large format slabs 1000x1000x50 and Curb stones 1000x200x50, used both horizontally and vertically
2. Veenendaal Garden project - Large format slabs 1000x1000x50
3. Veenendaal Garden project - Step 1000x370x150 - anthracite

ASSORTMENT LARGE FORMAT SLABS

Schellevis® large format slabs are the most striking products in the range. These iconic products are popular thanks to the many applications possible. The large format slabs are standard reinforced and available in a range of sizes and colours.

Why should you choose these slabs? They're distinctive, thanks to their robust appearance. Large surfaces have visibly less joints and the minimalistic lines ensure a peaceful outdoor space. Most dimensions can also be used vertically. Thanks to their recognisable appearance and structure, the large format slabs can easily be combined with other products in the Schellevis® range. Combining the slabs with materials such as corten steel, wood and clay pavers also creates a beautiful appearance.

Product features

- Unique Schellevis® structure and appearance
- No bevel
- Durable due to the use of natural raw materials and colouring agents
- Non-slip
- Resistant to frost and road salt



TIP | Create a robust appearance

Large surfaces have fewer visible joints and the long sleek lines ensure a tranquil outdoor space. Most dimensions can also be used vertically.



Combines well with Schellevis®

- Steps - page 48
- Curb stones - page 76
- Pool copings - page 64

	<i>l x b x d in mm</i>	<i>kg</i>	<i>Colours</i>	<i>Reinforced</i>	<i>Can be used for</i>
	400x800x50	36	● ● ●	✓	
	800x800x50	71	● ● ● ● ● ●	✓	
	800x800x100	143	● ● ●	✓	
	1000x1000x50	109	● ● ● ● ● ●	✓	
	1000x1000x80	178	● ● ● ● ●	✓	
	1000x1000x100	223	● ● ● ● ●	✓	
	1000x1000x120	267	● ● ● ● ●	✓	
	1200x600x70	112	● ● ●	✓	
	1200x1200 x70	224	● ● ●	✓	
	1200x1200x120	384	● ● ●	✓	
	1500x1200x100	400	● ● ● ● ●	✓	
	2000x500x100	225	● ● ● ● ●	✓	
	2000x1000x100	450	● ● ● ● ● ●	✓	
	2400x600x120	385	● ●	✓	
	2400x1200x120	770	● ● ● ● ●	✓	

Heeze Garden project - Large format slabs 1000x1000x100 - grey
Arnhem Garden project - Step 1000x1000x400 - taupe

MORE GARDEN INSPIRATION



All images are of Geffen Garden project
1. Seating element 2000x600x400 - anthracite | 2. Step 1000x400x200 - anthracite
3. Stackable element 1000x200x200 - anthracite | 4. Large format slabs 2400x1200x120 - anthracite



The earth tones of the clay pavers and the coarse gravel combined with the grey Schellevis products fit well with the country style of this residence.

ASSORTMENT STEPS

Would you like to create differences in height in your garden, or on the contrary, bridge them? Schellevis® has steps in its range, especially for use in such situations.

The steps are available in two models. You can choose a block model with a slightly rounded top on one side. Or you can go for an L-shaped model, with a short upstanding edge on the top. If you choose this step, place it with the characteristic Schellevis® structured side up. We also supply corner elements and half-steps.



Product features

- Unique Schellevis® structure and appearance
- Bevel on front, top edge
- Durable due to the use of natural raw materials and colouring agents
- The L-model step is reinforced with a net
- Non-slip
- Resistant to frost and road salt



TIP | The Schellevis® range also has supplementary elements available, such as corner pieces and half steps.



Combines well with Schellevis®

- Slabs - page 54
- Block pavers - page 28
- Pool copings - page 64

	<i>l x b x d in mm</i>	<i>Type</i>	<i>kg</i>	<i>Colours</i>	<i>Reinforced</i>	<i>Can be used for</i>	<i>Comment</i>
	2000x370x150	Block model	250		-		
	1000x370x150	Block model	125		-		
	500x370x150	Block model	63		-		
	600x600x150	Corner model 37 + external	104		-		bevelled outside 90
	600x600x150	Corner model 37 + internal	104		-		bevelled inside 90
	1000x400x200	Block model	173		-		
	500x400x200	Block model	87		-		
	600x600x200	Corner model 40 + external	137		-		bevelled outside 90
	600x600x200	Corner model 40 + internal	137		-		bevelled inside 90
	1000x400x150	L-model	57		✓		

INSPIRATION

Terrace in Oosterhout (NL)



The greatest challenge facing the Brouwer family was encouraging the ambiance to flow from the inside of their home, into the outdoors. Despite the large surface, the garden was to be given a warm, cosy appearance.

Thanks to the use of Schellevis®, connecting the indoor and outdoor spaces, the various patios and the swimming pool to create one whole was a success. Schellevis® was able to provide all the products necessary from its range. Not only that, but Schellevis® large format slabs outdoors were a good match for the poured concrete floor indoors.

It was decided to create differences in height, to achieve a warm, cosy appearance, not only in the garden but also with a variety of patios so that the Brouwer family can enjoy the sun in every part of the garden.

An elevation was also constructed at the swimming pool, using Schellevis® products.

“We decided on Schellevis®, to connect the patios in our garden and make one whole”

Damara Brouwer, Resident



PATIO INSPIRATION

A nice patio in the garden helps you relax outdoors. Together or alone.



1. Malden Patio project - Large format slabs 1200x1200x70, Slabs 600x400x50 and Slabs 600x600x50 - grey
2. Sunken Seating Area project - Large format slabs 800x800x50 and Curb stones 1000x400x50 - anthracite
3. Empel Garden project - Slabs 600x600x50 and Slabs 600x400x50 - grey



Patio project Giffel - Slabs 600x600x50 - anthracite

ASSORTMENT SLABS

Schellevis® slabs are recognisable at a glance, from their distinctive, open structure. The typical traditional Dutch appearance is visible both on the side and the top. Combining the best of natural raw materials and colouring agents with a special production process and Dutch craftsmanship gives the slabs their unique and timeless character.

Schellevis® slabs are available in a variety of sizes, thicknesses and colours. The entire Schellevis® range has the same appearance. Thanks to this unique characteristic, the slabs can be perfectly combined with other products from the range. Schellevis® slabs feel right at home in a number of places: around the outside of the house, on the roof and in public outdoor spaces.

- Product features**
- Unique Schellevis® structure and appearance
 - No bevel
 - Durable due to the use of natural raw materials and colouring agents
 - Non-slip
 - Resistant to frost and road salt



TIP | Place Schellevis® slabs vertically for a plant container that's simple to make.



- Combines well with Schellevis®**
- Stackable elements - page 68
 - Block pavers - page 28
 - Pool copings - page 64

	I x b x d in mm	kg	Colours	Reinforced	Can be used for
	200x200x50	4		-	
	200x200x70	6		-	
	400x400x50	17		-	
	400x400x70	25		-	
	500x500x50	27		-	
	500x500x70	39		-	
	600x400x50	26		-	
	600x400x70	37		-	
	600x600x50	39		-	
	600x600x70	55		-	



MORE PATIO INSPIRATION

1. Schijndel Patio project - Slab 500x500x50 - taupe
2. Didam Patio project - Large format slabs 1000x1000x50 - creme
3. Tilburg Driveway project - Large format slabs 1000x1000x50 and Seating element 2000x600x400 - carbon



Malden Patio project - Seating element 2000x600x400 and Large format slabs 1000x500x50 - grey





ASSORTMENT SEATING ELEMENTS

You'd like to create a unique spot to relax in? Schellevis® seating elements are ideal for both gardens and public outdoor space. This low-maintenance garden furniture is available in a variety of shapes, sizes and colours.



























The seating elements have the well-known traditional Dutch appearance and typical Schellevis® structure on all sides. So they combine perfectly with other products in the Schellevis® range.

- Product features
- Unique Schellevis® structure and appearance
 - Durable due to the use of natural raw materials and colouring agents
 - Non-slip
 - Resistant to frost and road salt

 **TIP** | Order the seating elements with a pedestal so you can adjust the height and place them level.

 **Combines well with Schellevis®**

- Block pavers - page 28
- Special shape slabs - page 36
- Slabs - page 54

	<i>l x b x d in mm</i>	<i>Type</i>	<i>kg</i>	<i>Colours</i>	<i>Reinforced</i>	<i>Can be used for</i>
	1000x600x400		520	  	-	 
	1900x500x150	Base	318	  	-	
	2000x600x400		1.040	  	-	 
	900x500x150	Base	151	  	-	
	500x500x500	Cube	280	  	-	 

INSPIRATION

Swimming pool in Hellendoorn (NL)

“Consistent lines and the same kind of paving up to and including the swimming pool coping ensure a tranquil and logical whole”

Richard de Jong
Garden designer - Nova Design Studio



Garden designer Richard de Jong made an extensive design for this outdoor space, with clear lines and specific choices of materials and he also took into consideration the scents of the garden still to be created. He used the lines of the house in combination with the surroundings, so that there is coherence between inside and outside.

The position of the swimming pool and the consistent lines throughout the entire garden ensure a tranquil whole.

The paving is one of the elements that contribute to that. “The slabs, swimming pool copings, steps and seating elements all have the same traditional Dutch Schellevis® structure”, explains Richard de Jong. “That combination ensures that the design doesn’t become too weighty but rather looks lively and airy.”

Richard de Jong created a clear connection between the garden and the surroundings. “When the residents are swimming, they look out across the countryside. The lavender plants provide a lovely scent while you swim.”



Hellendoorn Swimming pool project - Swimming pool copings 1000x400 and Large format slabs 1000x1000 - grey

SWIMMING POOL INSPIRATION

Integrate a swimming pool into your garden and pave the surrounding patio in the same colour.



1. Diepenveen swimming pool project - Large format slabs 1000x1000x50 - Steps 1000x370x150 - creme
2. Numansdorp Entrance project - Swimming pool copings 1000x1000x50 Large format slabs 1000x1000x50 - carbon
3. Oosterhout Patio project - Large format slabs 1000x1000x50 - anthracite





TIP | Have your patio join seamlessly with your swimming pool by using both Schellevis® slabs and swimming pool copings.



Combines well with Schellevis®

- Large format slabs - page 42
- Steps - page 48
- Slabs - page 54

ASSORTMENT POOL COPINGS

Schellevis® swimming pool copings make sure that a swimming pool flows seamlessly over in the pool deck, creating a beautiful finish. The swimming pool copings is rounded and non-slip, creating a safe and luxurious surround to every swimming pool.


You can choose from two different sizes and a variety of grey tints for the swimming pool copings and corners. Thanks to the recognisable traditional Dutch appearance and structure, the swimming pool copings can easily be combined with other products in the Schellevis® range. Combining the best of natural raw materials and colouring agents with a special production process and Dutch craftsmanship gives the swimming pool copings its unique and timeless character.

Product features

- Unique Schellevis® structure and appearance
- Rounded corners on the inside
- Chlorine resistant
- No bevel
- Durable due to the use of natural raw materials and colouring agents
- Non-slip
- Resistant to frost and road salt

	<i>l x b x d in mm</i>	<i>Type</i>	<i>kg</i>	<i>Colours</i>	<i>Reinforced</i>
	1000x400x50		43	    	✓
	1000x1000x50		109	  	✓
	1000x400x50	Mitred corner piece left	35	    	✓
	1000x400x50	Mitred corner piece right	35	    	✓
	1000x1000x50	Corner piece	108	  	✓

NATURAL POOL INSPIRATION



1



3

1. Natural pool Nijmegen project - Curb Stone 1000x300x50 grey
2. Bergeijk project - Seating element 2000x600x400 grey
3. Swimming pool project - Steps 1000x370x150 - Step corner piece inside 600x600x150 - grey

ASSORTMENT STACKABLE ELEMENTS

Schellevis® stackable elements and concrete sleepers can be used in a number of ways in a garden design. Use them to make a wall, to create a border or set them upright to make a palisade. Both products are available in a variety of sizes and colours.

Thanks to their recognisable traditional Dutch appearance and structure, the Schellevis® stackable elements are easy to combine with other products in the Schellevis® range.

Product features

- Unique Schellevis® structure and appearance
- No bevel (except sleeper)
- Durable due to the use of natural raw materials and colouring agents
- Non-slip
- Resistant to frost and road salt



TIP | Schellevis® stacking elements work well to create differences in height in the outdoor space.



Combines well with Schellevis®

- Large format slabs - page 42
- Curb stones - page 76
- Block pavers - page 28

	I x b x d in mm	Type	kg	Colours	Reinforced	Can be used for	Comment
	750x150x150		38	   	-	 	
	1000x200x120		55	 	-	 	
	1000x200x200		91	  	-	 	
	1000x200x120	Sleeper	53	  	-	 	With bevel
	1000x200x200	Green Wall	69		-		planting slot and drip irrigation space
	1000x200x200	Green Wall	80		-		drip irrigation slot



INSPIRATION

Rooftop garden in Doetinchem (NL)

“Using the Schellevis® edging, we were able to make long, diagonal sightlines”

Han Farwick
Farwick Groenspecialisten



In the middle of Doetinchem - to the south of the historic centre - an enclosed garden was made on the roof, with a surface area of no less than 7,200 square metres. The goal of this unusual rooftop project was to offer people an outdoor space where they can spend time, relax and meet up.

A water feature on the roof makes this project even more unusual and gives the cachet of a boulevard. Thanks to the addition of wooden decking - supplemented by Schellevis® seating elements - you almost forget that you're in the centre of Doetinchem.

Schellevis® edging was used for the paving. This allowed Han Farwick to create long sightlines and make an organic connection with the greenery.

This rooftop project finished in the top three in the 'Best Optigrün Roof Garden of the last 25 years'.

The design was created by Landscape Architect, Nico Wissing.





ROOFTOP PATIO INSPIRATION

You can create an inviting outdoor space up high with a rooftop garden or patio.



1. Beilen Rooftop patio project - Large format slabs 800x800x50 - anthracite
2. Maaspoort Rooftop project - Large format slabs 1000x1000x50 - anthracite
3. Wuppertal Rooftop patio project - Large format slabs 1000x1000x50 - anthracite

MORE ROOFTOP INSPIRATION



1. Rotterdam Rooftop patio project - Large format slabs 1000x1000x50 - grey, carbon and red brown
2. Breda Rooftop project - Rooftop car park slab 1300x1000x80 - taupe
3. Nijmegen Rooftop project - Slab 600x600x50 and Seating element - 2000x600x40 - grey



ASSORTMENT CURB STONES

Schellevis® elongated curb stones are used to divide paving from greenery. Containment is also necessary to prevent paving subsiding. The use of reinforcement makes sure the curb stones can be used vertically too. That might be to make an elevation or to edge a border in the garden, for example. The edgings have the characteristic Schellevis® structure with smooth underside and it are available in a variety of dimensions and colours.

Thanks to their recognisable traditional Dutch appearance and structure, the curb stones are easy to combine with other products in the Schellevis® range.











- Product features**
- Unique Schellevis® structure and appearance
 - No bevel
 - Durable due to the use of natural raw materials and colouring agents
 - Non-slip
 - Resistant to frost and road salt



TIP | The use of reinforcement makes sure the edgings can be used vertically too. That might be to make an elevation or to edge a border in the garden, for example.



- Combines well with Schellevis®**
- Large format slabs - page 42
 - Block pavers - page 28
 - Special shape slabs - page 36

	<i>I x b x d in mm</i>	<i>kg</i>	<i>Colours</i>	<i>Reinforced</i>	<i>Can be used for</i>
	1000x200x50	22	     	✓	 
	1000x200x70	31	  	✓	 
	1000x300x50	33	   	✓	 
	1000x300x70	46	  	✓	  
	1000x400x50	43	  	✓	 
	1000x400x70	61	  	✓	  
	1000x500x50	54	  	✓	 
	1000x500x70	77	  	✓	  

INSPIRATION

Commercial Space
Provincial Government
Building (NL)

“Schellevis® works with natural raw materials and the products are 100% recyclable”

Harjan Inkelaar
Consultant Groenadvies NIC



Following a radical renovation of Zwolle Government Building, the adjacent outdoor space also had to be redesigned. After almost 50 years, the original gardens, designed by Mien Ruys, were ready for refurbishment.



But the original philosophy was to be retained in the new design. And the request was for an ecologically responsible and circular design. When constructing the public space, as much as possible of the original materials was reused. And colourful, blooming plants were chosen for their attraction to bees, butterflies and birds.

For the rest of the composition, Groenadvies NIC looked around for sustainable products and suppliers. For paving, step and seating elements, for example, for the new paving to be carried out. “In the end, we decided to go with Schellevis”, Harjan Inkelaar tells us. “The products are made from natural raw materials and are 100% recyclable”.



1. Oldebroek commercial project - Large format slabs 1000x1000x50, Steps 1000x370x150 and Steps 1000x370x150 outdoor corner - Block pavers - grey
2. Utrecht commercial project - Large format slabs 1000x1000x50, Large format slabs 1000x1000x120, Slab 400x400x50 and Steps 1000x400x200 - anthracite
3. Oldebroek commercial project - Large format slabs 1000x1000x50, Steps 1000x370x150 and Steps 1000x370x150 outdoor corner - Block pavers large - grey

1

COMMERCIAL INSPIRATION

When designing sustainable public space that people will be able to use for a long time, good paving is important.



2



3



1. Twente commercial project - Curb stones 1000x500x50 and Slab 600x600x50 - grey
2. Waalwijk commercial project - Large format slab 1000x1000x80 - grey
3. Amsterdam commercial project - Large format slab 900x300x100 and Slab 600x300x100 - anthracite



MORE PUBLIC SPACE INSPIRATION



WELLNESS OOSTERHOUT PROJECT

At the wellness complex in Oosterhout, the garden is a place of relaxation. The Schellevis® slabs were laid all the way around the complex, in combination with gravel and corten steel around the pond.



1/2/3/4 - Large format slabs 2000x1000x100
and 1000x1000x100 - anthracite



1



2



3



4



ASSORTMENT GRASS PAVERS

Climate change is responsible not only for a rise in temperatures worldwide but also for changes in precipitation patterns. Schellevis® concrete grass pavers help drain rainwater naturally, preventing overloading of our sewer systems. So you're also immediately contributing to making your direct living environment more sustainable.

There are four variations available. The hexagonal paver features a trendy hexagon shape with playful cut-outs, while the rectangular slabs have a sleek design with cut-outs along the long edges. The nibbed paver allows for 50mm spaced joints. All of this range can be filled with gravel, crushed stone, or greenery for a stylish and contemporary look. Ideal for paving and simultaneously greening driveways, walkways, and more.

- Product features**
- Unique Schellevis® structure and appearance
 - No bevel
 - Durable due to the use of natural raw materials and colouring agents
 - Non-slip
 - Resistant to frost and road salt











































































































































































TIP | Combine the nibbed paver with the 400x100x100 paver to create a mix of paved and half-paved.









































































































































- Combines well with Schellevis®**
- Block pavers Page 28
 - Curb stones Page 76
 - Stackable elements Page 68

	<i>l x b x d in mm</i>	<i>type</i>	<i>kg</i>	<i>Colours</i>	<i>Reinforced</i>	<i>Permeable Paving</i>	<i>Can be used for</i>
	375 x 375 x 70	Hexagon tile	14	● ●	-	💧	 
	400 x 100 x 100 (Nibs 50 x 60)	Nibbed paver	10	●	-	💧	 
	1000x300x70	Eco-Paver Long	39	● ●	✓	💧	 
	1000x500x70	Eco-Paver Long	70	● ●	✓	💧	 

ASSORTMENT OVERVIEW SCHELLEVIS®

LxWxH mm	Kg	Colours	Reinforced	Can be used for	Remark
Slabs					
200x200x50	4	    			
200x200x70	6	  		 	
400x400x50	17	  			
400x400x70	25	  		 	
500x500x50	27	    			
500x500x70	39	   		 	
600x400x50	26	   			
600x400x70	37	  		 	
600x600x50	39	    			
600x600x70	55	   		 	
Large format slabs					
800x400x50	36	  	✓	  	
800x800x50	71	    	✓	   	
800x800x100	143	  	✓	   	
1000x1000x50	109	    	✓	   	
1000x1000x80	178	   	✓	   	
1000x1000x100	223	   	✓	   	
1000x1000x120	267	  	✓	   	
1200x600x70	112	  	✓	   	
1200x1200x70	224	  	✓	   	
1200x1200x120	384	  	✓	   	
1500x1200x100	400	   	✓	   	
2000x500x100	225	   	✓	   	
2000x1000x100	450	    	✓	   	
2400x600x120	385	 	✓	   	
2400x1200x120	770	   	✓	   	

¹ Corner model inside rounded
² Corner model outside rounded
³ With Bevel
⁴ Optionally, the seating element can be ordered and placed on a slightly smaller base
⁵ Cut-out for planting and drip irrigation
⁶ Cut-out for drip irrigation
⁷ All 100x20x20 stackable elements can be combined for the construction of the Green Wall

LxWxH mm	Kg	Colours	Reinforced	Can be used for	Remark
Curb stones					
1000x200x50	22	    	✓	 	
1000x200x70	31	  	✓	 	
1000x300x50	33	   	✓	 	
1000x300x70	46	   	✓	  	
1000x400x50	43	  	✓	 	
1000x400x70	61	  	✓	  	
1000x500x50	54	  	✓	 	
1000x500x70	77	  	✓	  	
Steps					
2000x370x150	250	 			Block model
1000x370x150	125	    			Block model
500x370x150	63	  			Block model
600x600x150	104	   			Corner 37 inside ¹
600x600x150	104	   			Corner 37 outside ²
1000x400x200	173	   			Block model
500x400x200	87	  			Block model
600x600x200	137	  			Corner 40 inside ¹
600x600x200	137	  			Corner 40 outside ²
1000x400x150	57	  	✓		L-model
Pool copings					
1000x400x50	43	    	✓		
1000x1000x50	109	  	✓		
1000x400x50	35	    	✓		Mitre corner piece L
1000x400x50	35	    	✓		Mitre corner piece R
1000x1000x50	108	  	✓		Corner piece
Seating Elements					
1000x600x400	520	   		 	Seating element ⁴
900x500x150	151	  			Base
2000x600x400	1040	  		 	Seating element ⁴
1900x500x150	318	  			Base
500x500x500	280	  		 	Cube

ASSORTMENT OVERVIEW SCHELLEVIS®



LxWxH mm	Kg	Colours	Reinforced	Can be used for	Remark
Stackable elements					
750x150x150	38				
1000x200x120	55				
1000x200x200	91				
1000x200x120	53				Sleeper ³
1000x200x200	69				Greenwall ⁵⁻⁷
1000x200x200	80				Greenwall ⁶⁻⁷
Block Pavers					
210x70x80	2,6				Large
150x50x70	1				Small
400x100x100	9				
Grass paving					
375x375x7	14				Hexagon
400x100x100	10				With nibs 50x60 mm
1000x300x70	39				Eco-Paver Long
1000x500x70	70				Eco-Paver Long
Special shapes					
1200x300/600x80	98				Trapezium
Ø600x70	45				Round
Ø800x70	69				Round
Ø1000x80	142				Round

¹ Corner model inside rounded
² Corner model outside rounded
³ With Bevel
⁴ Optionally, the seating element can be ordered and placed on a slightly smaller base
⁵ Cut-out for planting and drip irrigation
⁶ Cut-out for drip irrigation
⁷ All 100x20x20 stackable elements can be combined for the construction of the Green Wall



JOINTS
MAINTENANCE
INSPIRATION
PARTNERS



JOINTS IN PAVING

Guided by Nature

Jointing is important because



- It gives stability to the paving
- It compensates for minimal deviations in sizing, so that the whole can consist of clean lines
- It compensates for any shrinking or expansion of the slabs, due to differences in temperature
- It reduces the growth of weeds between the pavers

Those who use Schellevis® products often use the following jointing methods:

- Joint with basalt split
- Joint with kiln-dried sand such as fine sand
- Permeable jointing compounds (for example; Varistone LM Aqua)
- Silicone sealing of joints. Make sure that the silicone sealant is suitable for concrete elements and can compensate for a minimum of 25% warp.

We advise against ever using crusher run or street sand to joint the paving. Both are extremely sensitive to weed growth and can leave permanent stains on the paving.

For the complete laying instructions, go to the download centre on our website.



1. LM Aqua permeable joint
2. Split/gravel
3. Basalt Split
4. LM Aqua permeable joint




SIMPLE TIPS FOR MAINTENANCE

Guided by Nature

Schellevis® slabs need very little maintenance and are easy to clean. When the sun shines, algae and green mould soon disappear.

However, it's still useful to:



- Sweep the slabs and clean with water regularly.



- Remove any piles of leaves with a soft broom. The tannic acid in tree leaves can leave an outline of the leaf on the slabs. This will disappear on its own with time.







- Remove green mould with soft soap and a soft broom. Algae grow easily in shaded spots.

For the complete maintenance instructions, go to the download center on our website. You'll also find advice there on things it's better not to do.

LOOKING FOR MORE INSPIRATION?

Guided by Nature



Go to our website or social-media channels to see more outdoor spaces that have been designed using Schellevis® products.

Follow us on Instagram to see the most beautiful garden projects and stay abreast of the latest Schellevis® news. Conversely, we really like to see photos of completed outdoor spaces on Instagram with #schellevis.

- Pinterest: Schellevis
- Facebook: Schellevis UK
- Instagram: @schellevis_UK
- LinkedIn: schellevis-beton



YOUR GARDEN IN THE PICTURE!

Have you got a beautiful garden that deserves a place on our website or in our brochure? If so, let us know.

We'd be happy to get in touch with you and hear the story of your outdoor space. We're interested to know how Schellevis® helped to realise it.

And naturally, we'll bring our photographer with us, to make professional photos of your garden.

Interested?

Send an email to info@schellevis.co.uk and who knows? Maybe your outdoor space will soon be highlighted on our website or in the next brochure.

SCHELLEVIS® PARTNERS

Guided by Nature

Show garden

Would you like to see our products in real life, at one of our dealerships? We collaborate with distributors who have show gardens. You'll find a wide range of Schellevis® products there and all the information you need. The outlets also have an extensive network of landscapers and/or garden designers who can help you to create an outdoor space that's just right for you.

Do you need a garden designer and/or landscaper?

Designing and constructing a garden is specialist work. And that goes for laying Schellevis® slabs too. So we recommend you get professionals in to lay the slabs. We'd be happy to put you in touch with the right people.

Interested?

Go to 'partner locator' on our website to find an outlet near you.



ACKNOWLEDGEMENTS

This brochure is a Schellevis® publication and was realised in collaboration with:

OUR PARTNERS

Ronald Wesselings, Wesselings Hoveniersbedrijf BV
Eric Bijl, Eric Bijl Tuinontwerp
Jaap Sterk, Jaap Sterk Exteriors
Tuinspecialist Kampsteeg Tuinen
Richard de Jong, Ontwerpstudio Nova
Han Farwick, Farwick Groenspecialisten
Nico Wissing, Studio Nico Wissing
Harjan Inkelaar, Het NIC Groenadvies
GRDN Landscape + Garden Design

PHOTOGRAPHY

Cees Rijnen
Marian Verhey
Modeste Herwig
Alister Thorpe

REALISATION

Gea Barth, 4BMarketing
André Driessen, Andries tekst, training & advies
Mariska Hoffland reclame en vormgeving

All specifications and information have been collected with care. Despite that, no rights can be derived from the contents. Schellevis® accepts absolutely no liability for any errors or incompleteness in the documentation and their consequences. In the interests of renewal and improvement, we reserve the right to make changes to the products and specifications. The colours shown may deviate in reality due to limitations of the printing process.


2025 Schellevis® | 5nd edition | All rights reserved.
No part of this publication may be used without permission from Schellevis®.


Schelevis B.V.

Loswal 11

4271 BA Dussen

The Netherlands

 +31 (0)416 39 11 47

 verkoop@schellevis.nl

 www.schellevis.co.uk