

ASSORTMENT OVERVIEW

GUIDED
BY
NATURE



Versatile

















Connecting



Timeless

ASSORTMENT OVERVIEW

Product	l x w x d (mm)	weight (kg)	colours						reinforced	permeable paving	can be used for					type
																
Slabs																
	200 x 200 x 50	4	✓	✓	✓		✓	✓			✓					
	200 x 200 x 70	6	✓	✓	✓						✓	✓				
	400 x 400 x 50	17	✓	✓	✓						✓					
	400 x 400 x 70	25	✓	✓	✓						✓	✓				
	500 x 500 x 50	27	✓	✓	✓	✓	✓	✓			✓					
	500 x 500 x 70	39	✓	✓	✓	✓					✓	✓				
	600 x 400 x 50	26	✓	✓	✓			✓			✓					
	600 x 400 x 70	37	✓	✓	✓						✓	✓				
	600 x 600 x 50	39	✓	✓	✓	✓	✓	✓			✓					
	600 x 600 x 70	55	✓	✓	✓	✓					✓	✓				
Large format slabs																
	800 x 400 x 50	36	✓	✓	✓			✓		✓				✓		
	800 x 800 x 50	71	✓	✓	✓	✓	✓	✓	✓	✓			✓	✓		
	800 x 800 x 100	143	✓	✓	✓			✓		✓	✓	✓	✓	✓		
	1000 x 1000 x 50	109	✓	✓	✓	✓	✓	✓	✓	✓			✓	✓		
	1000 x 1000 x 80	178	✓	✓	✓	✓		✓		✓	✓	✓	✓	✓		
	1000 x 1000 x 100	223	✓	✓	✓			✓	✓	✓	✓	✓	✓	✓		
	1000 x 1000 x 120	267	✓	✓	✓			✓	✓	✓	✓	✓	✓	✓		
	1200 x 600 x 70	112	✓	✓	✓			✓		✓	✓	✓	✓	✓		
	1200 x 1200 x 70	224	✓	✓	✓			✓	✓	✓	✓	✓	✓	✓		
	1200 x 1200 x 120	384	✓	✓	✓			✓	✓	✓	✓	✓	✓	✓		
	1250 x 625 x 140	248,5	✓					✓	✓	✓	✓	✓	✓	✓	①	
	1500 x 1200 x 100	400	✓	✓	✓	✓		✓	✓	✓	✓	✓	✓	✓		
	2000 x 500 x 100	225	✓	✓	✓	✓		✓	✓	✓	✓	✓	✓	✓		
	2000 x 1000 x 100	450	✓	✓	✓	✓		✓	✓	✓	✓	✓	✓	✓		
	2400 x 600 x 120	385	✓	✓				✓	✓	✓	✓	✓	✓	✓		
2400 x 1200 x 120	770	✓	✓	✓			✓	✓	✓	✓	✓	✓	✓			
Curb stones																
	1000 x 200 x 50	22	✓	✓	✓	✓	✓	✓	✓	✓					✓	
	1000 x 200 x 70	31	✓	✓	✓			✓	✓	✓					✓	
	1000 x 300 x 50	33	✓	✓	✓		✓	✓	✓	✓					✓	
	1000 x 300 x 70	46	✓	✓	✓			✓	✓	✓	✓				✓	
	1000 x 400 x 50	43	✓	✓	✓			✓	✓	✓					✓	
	1000 x 400 x 70	61	✓	✓	✓			✓	✓	✓	✓				✓	
	1000 x 500 x 50	54	✓	✓	✓			✓	✓	✓					✓	
	1000 x 500 x 70	77	✓	✓	✓			✓	✓	✓	✓				✓	

Product	l x w x d (mm)	weight (kg)	colours					reinforced	permeable paving	can be used for					type
Steps															
	2000 x 370 x 150	250	✓	✓								✓			Block model
	1000 x 370 x 150	125	✓	✓	✓	✓	✓					✓			Block model
	500 x 370 x 150	63	✓	✓	✓							✓			Block model
	600 x 600 x 150	104	✓	✓	✓		✓					✓			Corner 37 inside ②
	600 x 600 x 150	104	✓	✓	✓		✓					✓			Corner 37 outside ③
	1000 x 400 x 200	173	✓	✓	✓		✓					✓			Block model
	500 x 400 x 200	87	✓	✓	✓							✓			Block model
	600 x 600 x 200	137	✓	✓	✓							✓			Corner 40 inside ②
	600 x 600 x 200	137	✓	✓	✓							✓			Corner 40 outside ③
	1000 x 400 x 150	57	✓	✓	✓			✓				✓			L-model
Pool copings															
	1000 x 400 x 50	43	✓	✓	✓	✓	✓	✓							
	1000 x 1000 x 50	109	✓	✓	✓			✓							
	1000/600 x 400 x 50	35	✓	✓	✓	✓	✓	✓							Mitre corner piece left
	1000/600 x 400 x 50	35	✓	✓	✓	✓	✓	✓							Mitre corner piece right
	1000 x 1000 x 50	108	✓	✓	✓			✓							Corner piece
Seating elements															
	1000 x 600 x 400	520	✓	✓	✓		✓		✓			✓			Seating element ⑤
	900 x 500 x 150	151	✓	✓	✓										Base
	2000 x 600 x 400	1040	✓	✓	✓				✓			✓			Seating element ⑤
	1900 x 500 x 150	318	✓	✓	✓										Base
	500 x 500 x 500	280	✓	✓	✓				✓			✓			Cube
	Ø 600 x 400	250	✓*	✓*	✓*				✓			✓			Round S
	Ø 800 x 400	450	✓*	✓*	✓*				✓			✓			Round M
	Ø 1000 x 400	700	✓*	✓*	✓*				✓			✓			Round L
	2000 x 600 x 470	1269	✓*	✓*	✓*				✓			✓			Curve radius 10°
Stackable elements - standard and greenwall															
	750 x 150 x 150	38	✓	✓	✓	✓	✓					✓	✓		
	1000 x 200 x 120	55	✓	✓								✓	✓		
	1000 x 200 x 200	91	✓	✓	✓							✓	✓		⑧
	1000 x 200 x 120	53	✓	✓	✓							✓	✓		Sleeper ④
	1000 x 200 x 200	69	✓									✓			Greenwall ⑥ ⑧
	1000 x 200 x 200	80	✓									✓			Greenwall ⑦ ⑧

Product	l x w x d (mm)	weight (kg)	colours						reinforced	permeable paving	can be used for					type
Block pavers																
	210 x 70 x 80	2,6	✓	✓	✓	✓	✓	✓		✓	✓				Block paver large	
	150 x 50 x 70	1	✓	✓						✓	✓				Block paver small	
	400 x 100 x 100	9	✓							✓	✓				Block paver XL	
Eco paver products																
	375 x 375 x 70	14	✓	✓				✓	✓	✓	✓				Hexagon open	
	400 x 100 x 100	10	✓						✓	✓	✓				Nibbed paver 50 x 60 mm	
	1000 x 300 x 70	39	✓	✓				✓	✓	✓	✓	✓			Eco-paver long	
	1000 x 500 x 70	70	✓	✓				✓	✓	✓	✓	✓			Eco-paver long	
	600 x 600 x 100	45	✓	✓					✓	✓	✓	✓			Facet open	
	800 x 800 x 100	97	✓	✓				✓	✓	✓	✓	✓			Leaf	
	1000 x 1000 x 120	173	✓	✓				✓	✓	✓	✓	✓			Wecko	
	2000 x 1000 x 100	408	✓*	✓*				✓	✓	✓	✓	✓			Matrix	
	1250 x 625 x 140	208	✓*					✓	✓	✓	✓	✓			Flow 50RL	
	1250 x 625 x 140	209	✓*					✓	✓	✓	✓	✓			Flow 50RR	
	1250 x 625 x 140	209	✓*					✓	✓	✓	✓	✓			Flow 50	
	1250 x 625 x 140	175	✓*					✓	✓	✓	✓	✓			Flow 100RL	
	1250 x 625 x 140	175	✓*					✓	✓	✓	✓	✓			Flow 100RR	
	1250 x 625 x 140	173	✓*					✓	✓	✓	✓	✓			Flow 100	
	1250 x 625 x 140	157	✓*					✓	✓	✓	✓	✓			Flow 125R	
	1250 x 625 x 140	151	✓*					✓	✓	✓	✓	✓			Flow 125	
	800 x 625 x 140	113	✓*					✓	✓	✓	✓	✓			Flow 60RL	
	800 x 625 x 140	113	✓*					✓	✓	✓	✓	✓			Flow 60RR	
	800 x 625 x 140	109	✓*					✓	✓	✓	✓	✓			Flow 60	
	800 x 625 x 140	95	✓*					✓	✓	✓	✓	✓			Flow 80R	
	800 x 625 x 140	112	✓*					✓	✓	✓	✓	✓			Flow 80	
Special shape slabs																
	1200 x 300/600 x 80	98	✓	✓				✓		✓	✓				Trapezium	
	Ø 600 x 70	45	✓	✓						✓	✓				Round	
	Ø 800 x 70	79	✓	✓				✓		✓	✓				Round	
	Ø 1000 x 80	142	✓	✓				✓		✓	✓				Round	
	600 x 600 x 100	70	✓	✓						✓	✓				Facet	
	375 x 375 x 70	19	✓	✓				✓		✓	✓				Hexagon	

- ① Only available in combination with Eco paver plates Flow
- ② Outer side rounded 90°
- ③ Inner side rounded 90°
- ④ With chamfered edge

- ⑤ Seating element can optionally be ordered and placed on a slightly smaller pedestal
- ⑥ Cut-out for planting and drip hose
- ⑦ Cut-out for drip hose
- ⑧ All 1000 x 200 x 200 mm stackable elements can be combined to build the green wall

* Not a stock item, produced on request.

PRODUCTS

Thicknesses

Schellevis® products are available in thicknesses from 50 to 140 mm. Our products with a thickness of 50 mm are perfect for entrances, patios, rooftop terraces or gardens. From 70 mm thickness onwards, they can also be used on driveways.



Colours


The colour palette of Schellevis® consists of 6 base colours, all made with natural pigments and inspired by colours found in nature. From carbon to cream and from anthracite to red-brown. Choose a colour that suits your style.



Grey




Taupe



Anthracite



Red brown




Carbon



Creme


Pictograms

Refer to the pictograms in the assortment tables to see the possible applications of each product.




Terraces

The foundation for outdoor living spaces.




Driveways

Suitable for heavy loads and daily use.



Steps

Bridge height differences.



Walls

Provide support and boundaries.



Palisades

For edging borders or creating level differences.



Permeable paving


Allows rainwater to infiltrate naturally and helps prevent heat stress.

Permeable

Permeable paving promotes the infiltration of rainwater into the soil, contributing to a healthier ecosystem and reducing drought and water nuisance.







Discover all specifications of Schellevis® products in our knowledge base. Scan the QR code and read more.



**GET
INSPIRED**

Follow our social media channels to view the most beautiful garden projects and stay up to date with the latest Schellevis® news. We also enjoy seeing photos of realised outdoor spaces via #schellevis and @schellevis.


-  Schellevisbeton
-  @schellevis
-  @schellevis_beton
-  schellevis-beton


Schellevis B.V.


Loswal 11

4271 BA Dussen

The Netherlands

 +44 79 60 98 83 27 (Ryan Burge)

 ryan@schellevis.co.uk

 www.schellevis.nl/en

All specifications and information have been compiled with care. Nevertheless, no rights can be derived from the content. Schellevis® accepts no liability for any errors or omissions in the documentation and their consequences. In the interest of innovations and improvements, we reserve the right to make changes to the products and specifications. Due to the printing process, the colours shown may differ from reality.

2026 Schellevis® | All rights reserved. No part of this publication may be used without permission from Schellevis®.