



SHELLEVIS®



PRODUCT SPECIFICATIONS

SHELLEVIS®

STEPS








































Would you like to create differences in height in your garden, or on the contrary, bridge them? Schellevis® has steps in its range, especially for use in such situations. The steps are available in two models. You can choose a block model with a slightly rounded top on one side. Or you can go for an L-shaped model, with a short upstanding edge on the top. If you choose this step, place it with the characteristic Schellevis® structured side up. We also supply corner elements and half-steps.

Combining the best of natural raw materials and colouring agents with a special production process and Dutch craftsmanship gives the steps their unique and timeless character. Schellevis® steps feel right at home in a number of places: around the outside of the house, on the roof and in public outdoor spaces.

GUIDED BY NATURE

We believe it's important that an outdoor space is well-balanced and exudes tranquillity. Because in a living environment like that, you can relax; you're in your element, enjoying it. Whether alone or together with others. The outdoor space is the Schellevis® domain and nature is a major source of inspiration. We connect architecture with nature, with respect for the environment. That's how we contribute to a sustainable, natural experience of the outdoor space

PRODUCT SPECIFICATIONS SCHELLEVIS® STEPS

LxBxH in mm	Type	Kg	# steps per pallet	Pallet size in mm	Colours	Reinforced	Can be used for	Remark
1000x370x150	Block model	125	10	1000x800	   			
500x370x150	Block model	63	20	1000x800	  			
600x600x150	Corner model 37 inside	104	4	800x800	  			Outside 90% rounded
600x600x150	Corner model 37 outside	104	4	800x800	  			Inside 90% rounded
1000x400x200	Block model	173	8	1000x850	   			
500x400x200	Block model	87	16	1000x850	  			
600x600x200	Corner model 40 inside	137	4	800x800	  			Outside 90% rounded
600x600x200	Corner model 40 outside	137	4	800x800	  			Inside 90% rounded
1000x400x150	L-model	57	12	1000x800	  	✓		

Product features

- Unique Schellevis® structure and appearance
- Products taper (1.5 mm each side)
- Bevel on front, top edge
- Durable due to the use of natural raw materials and colouring agents
- The L model step is reinforced with a net
- Non-slip
- Resistant to frost and road salt
- Country of origin: The Netherlands
- Material type: Concrete

Technical features

- Dimensional stability (L/B) ≤ 600 mm: ± 2 mm, (D) ± 3 mm
- Dimensional stability (L/B) ≥ 600 mm is: ± 3 mm, (D) ± 3 mm
- Dimensional stability - diagonal ≤ 850 cm: ≤ 3 mm
- Dimensional stability - diagonal ≥ 850 cm: ≤ 6 mm
- Flexural strength: ≥ 5,0 N/mm²
- Wear resistance: ≤ 23
- Environmental class: XF4
- Slip resistance: R13
- Reaction to fire: NPD
- Weather resistance (frost/thaw): 0,2 kg/m²

Processing instructions

- Both the top and side can be placed in sight since both are provided with the characteristic Schellevis® structure.
- Place the L model with the upstanding edge facing up. Determine the overhang yourself.
- Use joint of at least 5 mm when placing the products. The larger the product, the broader the joint (maximum 10 mm).
- Lay the products on a bed that is stable, level and draining. That way, the products will be well anchored and you will prevent subsidence.
- Don't use a vibrating compacter but use a rubber mallet instead.
- There may be a natural variation in structure or colour in each batch. This variation is due to the production process and is part and parcel of the natural character of the product.
- It's therefore advisable to mix the products from several pallets when processing.

Schellevis® quality

- NL BSB certificate K20627
- KOMO certificate / Kiwa K79475
- CSC mark (Concrete Sustainability Council)
- NL Greenlabel

