



GUIDED

BY

NATURE



GUIDED
BY
NATURE

Project: Jaap Sterk Exteriors



Balance and tranquillity in the outdoor space

We believe it is important that an outdoor space radiates tranquillity and is well balanced. In such an environment you can truly relax, feel at ease and enjoy yourself – alone or together with others.

The outdoor space is Schellevis® domain, with nature as our main source of inspiration. In this brochure we therefore present outdoor spaces that inspire us and, hopefully, give you ideas for creating an outdoor environment that suits you. You will see an impression of our products, applied in different outdoor settings, in various ways and often combined with each other.

Several special projects are highlighted in more detail. Our partners explain why they chose Schellevis® products for these projects.

For tips on applications and combinations, please refer to the assortment pages.



BLOCK PAVERS
page 22




**LARGE
FORMAT SLABS**
page 28




SLABS
page 34



**SPECIAL
SHAPE SLABS**
page 43



**POOL
COPINGS**
page 64



STEPS
page 56

CONTENTS

The uniqueness of Schellevis®	6
Sustainability	10
From sand to concrete	14
Raw materials	16
Products	18
RANGE	
- Block pavers	22
- Large format slabs	28
- Slabs	34
- Special shape slabs	43
- Stackable elements	48
- Curb stones	53
- Steps	56
- Seating elements	61
- Pool copings	64
- Eco paver products	70
- Assortment overview	80
PUBLIC SPACES	85
JOINTING OF PAVING	87
MAINTENANCE TIPS	88
YOUR GARDEN IN THE SPOTLIGHT?	91
PARTNERS	92
COLOPHON	94

THE UNIQUENESS OF SCHELLEVIS®

Versatile



Our products offer many possibilities for designing any type and style of outdoor space.

From modern to classic, from farmhouse to city home, Schellevis® products always bring balance and support the design. Vary the way you use them: lay them flat, place them vertically or even floating – everything is possible.

Connecting



From concrete block paver to large format slab, from pool coping to seating element and from stackable element to step – everything is available in the same traditional Dutch Schellevis® structure and colour, in any size or thickness. Combine them to create tranquillity and balance in the outdoor space.

Timeless



We are proud that our products have been used in outdoor spaces for many years. Times change, but designers and landscapers continue to choose Schellevis® time and again.



Project: Peter van der Velden | Photography: Peter Baas

“Our products are not only sustainable and versatile, they must also contribute to the natural experience of the outdoor space.”

**NATURAL
EXPERIENCE**

Project: VDK-VDW en Hoveniersbedrijf Tim Kok | Photography: S. Fareilly



**ENJOYING
A HEALTHY
OUTDOOR
SPACE FOR
FUTURE
GENERATIONS**

To achieve this ambition,
we must take action today.

SUSTAINABILITY AND SCHELLEVIS®

With outdoor space as our domain and nature as our greatest inspiration, sustainability has been an important theme at Schellevis® for many years. In everything we do, we aim for the highest quality while minimising our impact on people and nature. In practice, this means we use natural materials in our production process and reuse as much as possible. Today, more than a quarter of our materials consist of recycled content.

Sand and gravel are delivered by water. We choose this because one shipment by boat equals forty truck deliveries. We also work with suppliers located close to our production site, with an average distance of about 70 kilometres. Even before production starts, this already saves many transport kilometres and emissions.

Our production process is carefully designed and continuously optimised. Our machines require minimal energy and minimise material waste. Schellevis® products dry and cure naturally and are 100% recyclable. Products that do not pass our strict quality control are reused as base material for new Schellevis® products. Internal transport largely consists of electric forklifts and bicycles.



Our focus on sustainability does not stop here. Without compromising quality, we continue to test and innovate to further improve our composition and production process. For example, by testing cement-replacing components. In this way, we minimise our impact on nature.



✓ Supply of raw materials by water

✓ CSC Concrete certification and NL Greenlabel

✓ Energy-efficient lighting and climate control

✓ Electric internal transport

TOWARDS A SUSTAINABLE FUTURE

Schellevis BV, Dussen, The Netherlands

Naturally, we are performing well in terms of sustainability – but it's not only our own opinion that counts. Just as with quality, we ask independent organisations to assess our sustainability performance. Since 2016 we have held the NL Greenlabel certificate, and since 2022 we have been one

of the first concrete slab producers to obtain the CSC certificate. CSC stands for Concrete Sustainability Council and is a global certification system that provides transparency and assurance regarding sustainable and responsible sourcing of raw materials, optimal production processes and recyclability within the concrete industry.




Want to know more?



Would you like to learn more about sustainability and what it means at Schellevis®? Visit our website or scan the QR code.



SCHELLEVIS®: FROM SAND TO CONCRETE





Our concrete specialists carefully and expertly mix sand, gravel, cement and pigments into a unique, high-quality product.

SCHELLEVIS® RAW MATERIALS

Schellevis® products are made from pure, natural raw materials and are characterised by their sustainable nature and timeless appearance. A unique production process creates the recognisable open structure that gives every slab its distinctive charm.

All advantages at a glance



Sustainable

Made from natural raw materials and 100% recyclable.



Unique appearance

The open structure – also known as the traditional Dutch structure – is unique to our products.



Versatile

The Schellevis® range offers a wide variety of colours, sizes and designs that perfectly match and create a calm overall look.




Design freedom

Can be applied flat, floating or vertically, since both the top and sides have the same Schellevis® structure and are coloured throughout.



Large format

The diversity of sizes within the Schellevis® large format slabs is unique.



SCHELLEVIS®
PRODUCTS

Project: Jaap Sterk Exteriors | Large format slabs 2000 x 1000 x 100 mm & 2400 x 1200 x 120 mm – grey

PRODUCTS

Schellevis® products are used in many places and in many ways.

To enjoy your outdoor space for years to come, it is important to choose the right product for the right location. That is why we produce our slabs in various thicknesses and reinforce them where necessary.

Thicknesses

Schellevis® products are available in thicknesses from 50 to 140 mm. Products with a thickness of 50 mm are perfect for entrances, patios, rooftop terraces or gardens. From 70 mm thickness onwards, they can also be used on driveways.




Pictograms

Refer to the pictograms in the assortment tables to see the possible applications of each product.




Terraces

The foundation for outdoor living spaces



Driveways

Suitable for heavy loads and daily use



Steps

Bridge height differences




Walls

Provide support and boundaries



Palisades

For edging borders or creating level differences



Permeable paving

Allows rainwater to infiltrate naturally and helps prevent heat stress



*Project: Van der Loo hoveniers
Slab 1200 x 1200 x 70 mm - carbon*

Colours

The Schellevis® colour palette consists of six base colours, all created using natural pigments and inspired by colours found in nature. From carbon to crème, and from anthracite to red brown. Choose a colour that suits your style.



Grey




Taupe



Anthracite



Red brown



Carbon



Crème

BLOCK PAVERS






Schellevis® block pavers are ideal for use on a patio or driveway. They are available in three sizes and a range of colours.


Thanks to their recognisable traditional Dutch appearance and structure, they combine perfectly with other products in the Schellevis® range – especially when choosing the same colour.

Product features

- Unique Schellevis® structure and appearance.
- Durable due to the use of natural raw materials and pigments.
- Non-slip.
- Resistant to frost and de-icing salt.
- Natural variation in structure or colour may occur per batch.

Block pavers assortment	l x w x d (mm)	type	weight (kg)	colours						can be used for	
				✓	✓	✓	✓	✓	✓	✓	✓
	210 x 70 x 80	Block paver large	2,6	✓	✓	✓	✓	✓	✓	✓	✓
	150 x 50 x 70	Block paver small	1	✓	✓					✓	✓
	400 x 100 x 100	Block paver XL	9	✓						✓	✓

Combine block pavers with eco pavers, slabs or plates to keep your driveway permeable to rainwater while creating space for additional greenery and biodiversity.



Project: Lex van Wijk Hoveniers | Block pavers 150 x 50 x 70 mm – grey | Slab 600 x 600 x 50 mm – anthracite



View the case study



Project: Jaap Sterk Exteriors | Block pavers 150 x 50 x 70 mm - anthracite

Block pavers are often used for edging or decorative patterns, such as herringbone or stretcher bond layouts. They are highly suitable for paths, steps, patios or driveways.



CHARACTER AND TRANQUILITY

"This design revolves around playful and refined balance. Wood, corten steel, concrete and slate have been carefully coordinated to create a powerful whole. The base radiates tranquillity, with Schellevis® as the connecting element. The recognisable structure ensures unity and balance. The combination of herringbone pavers and 'floating' large format slabs turns the entrance into a stylish, timeless statement."

Peter van der Velden

View the
case study



Project: Peter van der Velden | Block pavers 210 x 70 x 80 mm – anthracite | Large format slabs 2000 x 1000 x 100 mm – grey

SLABS LARGE FORMAT

Schellevis® large format slabs are among the most eye-catching products in the range. These iconic products are popular thanks to their wide range of applications. The slabs are reinforced as standard and available in various sizes and colours.

Thanks to their recognisable appearance and structure, they combine perfectly with other Schellevis® products. They also create a beautiful look when combined with materials such as corten steel, wood and clay pavers.

Product features

- Unique Schellevis® structure and appearance.
- Durable due to natural raw materials and pigments.
- Reinforced.
- Non-slip – R13.
- Resistant to frost and de-icing salt.
- Natural variation in structure or colour may occur per batch.

Large format slabs also make an impact when used vertically. As a backdrop for an outdoor shower, for example, they create a powerful statement, allowing patio and wall to flow seamlessly into one whole.




Project: Hoveniersbedrijf van Aken | Photography: Gerben and Anneke

Large format slabs assortment	l x w x d (mm)	weight (kg)	colours						reinforced	can be used for			
	800 x 400 x 50	36	✓	✓	✓				✓	✓			✓
	800 x 800 x 50	71	✓	✓	✓	✓	✓	✓	✓	✓		✓	✓
	800 x 800 x 100 ①	143	✓	✓	✓				✓	✓	✓	✓	✓
	1000 x 1000 x 50	109	✓	✓	✓	✓	✓	✓	✓	✓		✓	✓
	1000 x 1000 x 80	178	✓	✓	✓	✓			✓	✓	✓	✓	✓
	1000 x 1000 x 100	223	✓	✓	✓			✓	✓	✓	✓	✓	✓
	1000 x 1000 x 120	267	✓	✓	✓				✓	✓	✓	✓	✓
	1200 x 600 x 70	112	✓	✓	✓				✓	✓	✓	✓	✓
	1200 x 1200 x 70	224	✓	✓	✓				✓	✓	✓	✓	✓
	1200 x 1200 x 120	384	✓	✓	✓				✓	✓	✓	✓	✓
	1250 x 625 x 140 ②	248,5	✓						✓	✓	✓	✓	✓
	1500 x 1200 x 100	400	✓	✓	✓	✓			✓	✓	✓	✓	✓
	2000 x 500 x 100	225	✓	✓	✓	✓			✓	✓	✓	✓	✓
	2000 x 1000 x 100 ③	450	✓	✓	✓	✓		✓	✓	✓	✓	✓	✓
	2400 x 600 x 120	385	✓	✓					✓	✓	✓	✓	✓
	2400 x 1200 x 120	770	✓	✓	✓			✓	✓	✓	✓	✓	✓

① Combine with eco paver Leaf, see page 70.



② Combine with eco paver Flow, see page 76.



③ Combine with eco paver Matrix, see page 76.



Greatness through simplicity

This villa garden consciously plays with space, rhythm and tranquillity. Patios around the villa are connected by a walking path, steps and pool copings. Together they form a clean line pattern that perfectly complements the architecture.

The materials were chosen to create a calm base. The thatched roof, dark accents, warm wood and Schellevis® concrete slabs share the same powerful simplicity. They form a sober yet luxurious starting point that leaves plenty of room for greenery. This brings balance and gives the garden its calm atmosphere. That is precisely where its grandeur lies.





Project: Kampsteeg Tuinen | Slabs 1000 x 1000 mm, 1000 x 400 mm – anthracite



**HEIGHT
DIFFERENCE
ELEGANTLY
RESOLVED**

A floating staircase and a low 'wall' of seating elements elegantly bridge a height difference of 2.5 metres. The deep anthracite tone connects seamlessly with the polished concrete floor indoors, creating a unified indoor-outdoor space. Lush planting softens the robust lines and introduces rhythm and air to the design. A garden with character and balance.

Project: Peter van der Velden | Photography: Peter Baas | Large format slabs – anthracite



Large format slabs have a wide range of applications. They are also highly suitable for creating a staircase with 'floating' steps.






SLABS

Schellevis® slabs are instantly recognisable thanks to their distinctive open structure. This characteristic traditional Dutch appearance is visible on both the top and sides. The combination of premium natural raw materials, pigments, a specialised production process and Dutch craftsmanship gives the slabs their unique and timeless character.

Schellevis® slabs are available in various sizes, thicknesses and colours. The entire Schellevis® range shares the same appearance. Thanks to this unique feature, the slabs combine perfectly with other products in the range.

Product features

- Unique Schellevis® structure and appearance.
- Durable due to natural raw materials and pigments.
- Non-slip – R13.
- Resistant to frost and de-icing salt.
- Natural variation in structure or colour may occur per batch.

Slabs assortment	l x w x d (mm)	weight (kg)	colours						reinforced	can be used for	
			✓	✓	✓	✓	✓	✓		✓	✓
	200 x 200 x 50	4	✓	✓	✓				✓		
	200 x 200 x 70	6	✓	✓	✓				✓	✓	
	400 x 400 x 50	17	✓	✓	✓				✓		
	400 x 400 x 70	25	✓	✓	✓				✓	✓	
	500 x 500 x 50	27	✓	✓	✓	✓	✓	✓	✓		
	500 x 500 x 70	39	✓	✓	✓	✓			✓	✓	
	600 x 400 x 50	26	✓	✓	✓			✓	✓		
	600 x 400 x 70	37	✓	✓	✓				✓	✓	
	600 x 600 x 50	39	✓	✓	✓	✓	✓	✓	✓		
	600 x 600 x 70	55	✓	✓	✓	✓			✓	✓	



Mix sizes and colours - thanks to the consistent structure, the result always remains a stylish whole.




Project: De Zanderik | Random pattern slabs 200 x 200 x 50 mm & 400 x 400 x 50 mm & 600 x 600 x 50 mm & 1000 x 200 x 50 mm (edging) – grey


TIMELESS TRANQUILLITY

Schellevis® slabs form the foundation of this garden, where style and tranquillity come together. They connect the canopy, patio and decking into one cohesive whole. The natural tones enhance the green character of the garden. Stepping stones in a contrasting colour lead you playfully through the landscape. The result is an outdoor space that breathes, lives and invites you to stay.

Project: Troost Hoveniers | Slabs 800 x 800 x 50 mm & 1000 x 1000 x 50 mm – grey



Slab 2000 x 1000 x 100 mm – carbon



Slabs can be laid continuously or separately, with grass or gravel in between. This creates a playful path with rhythm and contrast that looks natural and continues to surprise.



Project: Hoveniersbedrijf van Aken | Photography: Gerben and Anneke | Edging 1200 x 600 x 70 mm – grey

Combine grey Schellevis® with clay pavers for a timeless, powerful appearance. A choice that always works.



NATURAL UNITY

Schellevis® slabs form the backbone of this garden and demonstrate their versatility in every detail. From stepping stones between greenery to generous terraces around the pool, they create cohesion everywhere. Their natural texture blends effortlessly with wood, gravel and lush planting. The result is an exciting mix of robust concrete and living greenery. Here, Schellevis® proves that one material can vary endlessly without losing its character.

Project: De Zanderik | Photography: Robert Koelewijn
Random pattern slabs – grey



Discover also the eco paving products, available in surprising sizes and designs for a unique look - and easy to fill with gravel or greenery.

Design: De Rooy Hoveniers | Facet 600 x 600 x 100 mm and Facet open 600 x 600 x 100 mm – grey

SLABS SPECIAL SHAPE

Looking for something different, Schellevis® special – including trapezium and round slabs – are the perfect choice. They allow you to pave your outdoor space in a creative and unique way, using a striking element that catches the eye. You can create straight or curved pathways in a playful way.

The characteristic and organic shapes of these slabs enhance sightlines and are therefore ideal for creating walkways. Let your imagination run free and discover the endless possibilities

Schellevis® special shape slabs offer, to bring your outdoor space to life.

Product features

- Unique Schellevis® structure and appearance.
- Durable due to natural raw materials and pigments.
- Reinforced.
- Non-slip.
- Resistant to frost and de-icing salt.
- Natural variation in structure or colour may occur per batch.

Special shape slabs assortment	l x w x d (mm)	type	weight (kg)	colours						reinforced	can be used for	
	1200 x 300/ 600 x 80	Trapezium	98	✓	✓					✓	✓	✓
	Ø600 x 70	Round	45	✓	✓						✓	✓
	Ø800 x 70	Round	79	✓	✓					✓	✓	✓
	Ø1000 x 80	Round	142	✓	✓					✓	✓	✓
	600 x 600 x 100	Facet ①	70	✓	✓						✓	✓
	375 x 375 x 70	Hexagon ②	19	✓	✓				✓		✓	✓

① Also available as eco paving Facet open.


② Also available as eco paving Hexagon open.



Project: Weijts Tuinen | Trapezium slab – grey (custom made)



Design: De Rooy Hoveniers
Hexagon and Hexagon open – grey




Project: Hoveniersbedrijf van Aken | Photography: Gerben and Anneke | Trapezium slab – grey (custom made)

Create a walkway by combining special shapes with gravel or greenery.



The round slabs follow the trend of organic garden shapes and combine perfectly with round seating elements. By adding gravel and greenery, they blend effortlessly with the natural lines of the garden.



Project: Tielens Tuinen | Round slabs – grey

STACKABLE ELEMENTS

Schellevis® stackable elements and concrete sleepers give every garden a unique appearance. They form a creative base for green focal points in any garden. Use them as a planter border, place them upright as a palisade, or create a unique green wall.

The green wall stackable elements are suitable for planting and include space for a drip hose, allowing worry-free irrigation. These elements can be used around the house, on roof terraces and in public outdoor spaces. They are available in various sizes and colours. Thanks to their recognisable traditional Dutch appearance and structure, they combine perfectly with other Schellevis® products.

Product features

- Unique Schellevis® structure and appearance.
- Durable due to the use of natural raw materials and pigments.
- Non-slip.
- Resistant to frost and de-icing salt.
- Natural variation in structure or colour may occur per batch.



Project: Van den Heuvel Tuinen | Stackable elements green wall and stackable element 1000 x 200 x 200 mm – grey

Stackable elements assortment	l x w x d (mm)	type	weight (kg)	colours						reinforced	can be used for	
				1	2	3	4	5	6		1	2
	750 x 150 x 150		38	✓	✓	✓	✓	✓		✓	✓	
	1000 x 200 x 120		55	✓	✓					✓	✓	
	1000 x 200 x 200 ⑧		91	✓	✓	✓				✓	✓	
	1000 x 200 x 120	Sleeper with bevel	53	✓	✓	✓				✓	✓	
	1000 x 200 x 200 ⑧	Green Wall planting slot and drip irrigation space	69	✓						✓		
	1000 x 200 x 200 ⑧	Green Wall drip irrigation slot	80	✓						✓		

⑧ All 1000 x 200 x 200 mm stackable elements can be combined to build the green wall.



Project: RHS Chelsea Flower Show

Limited space but still want greenery? A green wall offers the solution. By connecting the elements cleverly, you create a strong, continuous wall in exactly the desired height. Let the ends step slightly for a more playful effect.



**COUNTLESS
APPLICATIONS**

A garden only truly feels complete when form and nature complement each other. With stackable elements, every height difference gains meaning and style. They bring tranquility, rhythm and relief to the whole space. From steps to borders, each line enhances the planting around it. Together with the slabs, they form the foundation for an all-round garden design where everything interacts harmoniously.

Schellevis® stackable elements are ideal for creating height differences in outdoor spaces.

Project: Studio Linda Wester | Stackable elements 1000 x 200 x 200 mm – grey, Slabs 600 x 600 x 50 mm, Step 1000 x 400 x 20 mm – grey



Project: Snelst Tuinstylst | Slab 1000 x 1000 x 50 mm

CURB STONES

Schellevis® edging elements are used to create boundaries between paving and greenery. Edging is essential to prevent paving from subsiding. These elements feature the characteristic Schellevis® structure with a smooth underside and are available in various sizes and colours. They can be used vertically, or horizontally to create plank effect paving.

Thanks to their recognisable traditional Dutch appearance and structure, they combine perfectly with other Schellevis® products.

Product features

- Unique Schellevis® structure and appearance.
- Durable due to natural raw materials and pigments.
- Reinforced.
- Non-slip.
- Resistant to frost and de-icing salt.
- Natural variation in structure or colour may occur per batch.

Curb stones assortment	l x w x d (mm)	weight (kg)	colours						reinforced	can be used for		
	1000 x 200 x 50	22	✓	✓	✓	✓	✓	✓	✓		✓	
	1000 x 200 x 70	31	✓	✓	✓			✓	✓		✓	
	1000 x 300 x 50	33	✓	✓	✓			✓	✓		✓	
	1000 x 300 x 70	46	✓	✓	✓			✓	✓	✓	✓	
	1000 x 400 x 50	43	✓	✓	✓			✓	✓		✓	
	1000 x 400 x 70	61	✓	✓	✓			✓	✓	✓	✓	
	1000 x 500 x 50	54	✓	✓	✓			✓	✓		✓	
	1000 x 500 x 70	77	✓	✓	✓			✓	✓	✓	✓	

The use of reinforcement allows edging elements to be placed upright as well – for example to create a raised area or border edging in the garden.



Project: Atelier Terra – Sandy Visser
Edging – grey



Project: Tuinontwerpburo Frank Stegers
Edging – grey




Project: Atelier Terra – Sandy Visser | Edging – grey

Lay edging elements flat
and cut them into various
sizes for a playful effect.

STEPS

Would you like to create or bridge height differences in your garden? Schellevis® steps are specifically designed for these applications. They are available in two models.

You can choose a solid block model with a slight rounding on one side at the top. Alternatively, there are various corner piece models as well as an L-shaped model available.




Top left photo
Project: Van den Heuvel Tuinen
Photography: Hans Gorter
Steps 1000 x 400 x 200 mm – grey
Edging 1000 x 500 x 70 mm – grey

Product features

- Unique Schellevis® structure and appearance.
- Durable due to natural raw materials and pigments.
- L-model step reinforced.
- Non-slip.
- Resistant to frost and de-icing salt.
- Natural variation in structure or colour may occur per batch.

Steps assortment	l x w x d (mm)	type	weight (kg)	colours						reinforced	used for
				1	2	3	4	5	6		
	2000 x 370 x 150	Block model	250	✓	✓						✓
	1000 x 370 x 150	Block model	125	✓	✓	✓	✓		✓		✓
	500 x 370 x 150	Block model	63	✓	✓	✓					✓
	600 x 600 x 150	Corner model 37 outside 90° bevelled	104	✓	✓	✓			✓		✓
	600 x 600 x 150	Corner model 37 inside 90° bevelled	104	✓	✓	✓			✓		✓
	1000 x 400 x 200	Block model	173	✓	✓	✓		✓			✓
	500 x 400 x 200	Block model	87	✓	✓	✓					✓
	600 x 600 x 200	Corner model 40 outside 90° bevelled	137	✓	✓	✓					✓
	600 x 600 x 200	Corner model 40 inside 90° bevelled	137	✓	✓	✓					✓
	1000 x 400 x 150	L-model	57	✓	✓	✓			✓		✓


Tranquillity and simplicity are achieved by choosing one colour. Thanks to the uniform structure of slabs and steps, they connect seamlessly and always form a cohesive whole.



Project: De Rooy Hoveniers | Photography: Robert Koelewijn | Step 1000 x 400 x 200 mm – grey



Block models 1600 x 400 x 200 mm - grey



Block model and corner piece - grey

Steps, gravel and greenery blend effortlessly together. The design freedom is surprisingly large – from a staircase that creates a strong statement, to a gentle transition where planting almost makes the height difference disappear.



Project: Zwemplus | Photography: Vroni Bollen | Seating element 2000 x 600 x 400 mm & Base 1900 x 500 x 150 mm – grey



SEATING ELEMENTS

Would you like to create a unique place to relax? Schellevis® seating elements are ideal for both gardens and public outdoor spaces. These low-maintenance outdoor furniture pieces are available in various shapes, sizes and colours.

All sides feature the familiar traditional Dutch appearance and typical Schellevis® structure, allowing them to combine

perfectly with other products in the Schellevis® range.

Product features

- Unique Schellevis® structure and appearance.
- Durable due to natural raw materials and pigments.
- Non-slip.
- Resistant to frost and de-icing salt.

Seating elements assortment	l x w x d (mm)	type	weight (kg)	colours						reinforced	can be used for	
	2000 x 600 x 400		1040	✓	✓	✓				✓	✓	
	1900 x 500 x 150	Base	318	✓	✓	✓						
	1000 x 600 x 400		520	✓	✓	✓			✓			
	900 x 500 x 150	Base	151	✓	✓	✓						
	500 x 500 x 500	Cube	280	✓	✓	✓				✓	✓	
	Ø 600 x 400	Round S	250	✓*	✓*	✓*				✓	✓	
	Ø 800 x 400	Round M	450	✓*	✓*	✓*				✓	✓	
	Ø 1000 x 400	Round L	700	✓*	✓*	✓*				✓	✓	
	2000 x 600 x 470	Curve radius 10°	1269	✓*	✓*	✓*				✓	✓	

* Not a stock item, produced on request.

Order the seating elements with a pedestal to adjust the height and ensure they can be placed level.



Combine the Curve seating elements into a flowing line through the garden, combining seating comfort with a natural framing of the planting area.

Design: Studio Meulenberg | Seating element Curve 2000 x 600 x 470 mm



Introduce organic shapes into your garden by combining round slabs, round seating elements and the rounded Curve bench.

POOL COPINGS

Schellevis® pool copings ensure a swimming pool transitions seamlessly into the surrounding patio, creating a beautifully finished whole. The copings are rounded and non-slip, providing a luxurious and safe edge around any pool.

You can choose from two sizes and various grey tones for both copings and corner pieces. Thanks to their recognisable traditional Dutch appearance and structure, they combine perfectly with other Schellevis® products.



Project: Van den Heuvel Tuinen | Photography: Hans Gorter
Pool copings 1000 x 1000 x 50 mm and large format slab 1000 x 1000 x 50 mm – grey

Product features

- Unique Schellevis® structure and appearance.
- Rounded inner corner.
- Durable due to natural raw materials and pigments.
- Non-slip.
- Chlorine-resistant.
- Resistant to frost and de-icing salt.
- Natural variation in structure or colour may occur per batch.

Pool copings assortment	l x w x d (mm)	type	weight (kg)	colours						reinforced
				1	2	3	4	5	6	
	1000 x 400 x 50		43	✓	✓	✓	✓	✓	✓	✓
	1000 x 1000 x 50		109	✓	✓	✓				✓
	1000/600 x 400 x 50	Mitred corner piece <i>left</i>	35	✓	✓	✓	✓		✓	✓
	1000/600 x 400 x 50	Mitred corner piece <i>right</i>	35	✓	✓	✓	✓		✓	✓
	1000 x 1000 x 50	Corner piece	108	✓	✓	✓				✓

Let the patio connect seamlessly to the pool by using Schellevis® slabs and pool copings.



Project: Bjorn Meulenberg | Combination of slabs and pool coping – grey



Create a stylish staircase in your swimming pond or pool using slabs or block-model steps.

ECO PAVING PRODUCTS

Due to climate change, not only are global temperatures rising – rainfall patterns are changing as well. Schellevis® Eco Paving slabs help drain rainwater naturally and relieve pressure on the sewage system. This way, you immediately contribute to making your living environment more sustainable.








Various designs are available, from clean lines to creative patterns. They can always be combined with solid slabs, to create the desired balance between open and closed surfaces.

All Eco Paving slabs can be filled with chippings, gravel or greenery for a stylish, contemporary

look. Ideal for paving while simultaneously adding greenery to driveways and walkways.

Product features


- Unique Schellevis® structure and appearance.
- Durable due to natural raw materials and pigments.
- Non-slip.
- Resistant to frost and de-icing salt.
- Natural variation in structure or colour may occur per batch.

Eco paving products assortment	l x w x d (mm)	type	weight (kg)	colours						reinforced	permeable paving	can be used for	
				✓	✓							✓	✓
	375 x 375 x 70	Hexagon open	14	✓	✓				✓	✓	✓	✓	
	400 x 100 x 100 Nok 50 x 60	Nibbed paver	10	✓					✓	✓	✓	✓	
	1000 x 300 x 70	Eco-paver long	39	✓	✓			✓	✓	✓	✓	✓	
	1000 x 500 x 70	Eco-paver long	70	✓	✓			✓	✓	✓	✓	✓	
	600 x 600 x 100	Facet open	45	✓	✓				✓	✓	✓	✓	
	800 x 800 x 100	Leaf	97	✓	✓			✓	✓	✓	✓	✓	
	1000 x 1000 x 120	Wecko	173	✓	✓			✓	✓	✓	✓	✓	

Schellevis® combines the robustness of traditional eco paving with a high-quality aesthetic finish. Thanks to the different designs, both a standard and distinctive appearance are possible.



Design: De Rooy Hoveniers | Eco paver slab Leaf 800 x 800 x 100 mm – grey



Design: De Rooy Hoveniers | Hexagon open and Hexagon - grey




WECKO

Eco paver slab Wecko 1000 x 1000 x 120 mm – grey



Design: Studio Meulenberg | Eco slab long 1000 x 300 x 70 mm, 1000 x 500 x 70 mm – anthracite



Wecko

Leaf

Eco paver products are extra thick and therefore suitable for driveways. The Leaf is additionally reinforced diagonally.

ECO PAVER PLATES

Eco paver plates form a strong and striking base for any outdoor space. Reinforcement makes them resistant to heavy loads, while the open structure provides space for grass, moss or gravel. Rainwater drains naturally, contributing to a green and sustainable appearance.

Clean lines ensure a modern look that can easily be combined with solid variants of the same size. The large plate format means fewer joints, resulting in a sleek appearance and low maintenance.

Plates assortment	l x w x d (mm)	type	weight (kg)	colours						reinforced	permeable paving	can be used for	
	2000 x 1000 x 100	Matrix	408	✓*	✓*					✓	✓	✓	✓
	1250 x 625 x 140	Flow 50RL	208	✓*						✓	✓	✓	✓
	1250 x 625 x 140	Flow 50RR	209	✓*						✓	✓	✓	✓
	1250 x 625 x 140	Flow 50	209	✓*						✓	✓	✓	✓
	1250 x 625 x 140	Flow 100RL	175	✓*						✓	✓	✓	✓
	1250 x 625 x 140	Flow 100RR	175	✓*						✓	✓	✓	✓
	1250 x 625 x 140	Flow 100	173	✓*						✓	✓	✓	✓
	1250 x 625 x 140	Flow 125R	157	✓*						✓	✓	✓	✓
	1250 x 625 x 140	Flow 125	151	✓*						✓	✓	✓	✓
	800 x 625 x 140	Flow 60RL	113	✓*						✓	✓	✓	✓
	800 x 625 x 140	Flow 60RR	113	✓*						✓	✓	✓	✓
	800 x 625 x 140	Flow 60	109	✓*						✓	✓	✓	✓
	800 x 625 x 140	Flow 80R	95	✓*						✓	✓	✓	✓
	800 x 625 x 140	Flow 80	112	✓*						✓	✓	✓	✓

* Not a stock item, produced on request.



ECO PAVER PLATE MATRIX

One open design eco paver plate.
Perfect to combine with large
format slab 200 x 100 x 10 cm.



Design: De Rooy Hoveniers | Eco paver plate Matrix 2000 x 1000 x 100 mm – grey



FLOW
Double parking space

*Design: De Rooy Hoveniers
Eco Paver plate Flow, various designs – grey*




ECO PAVER PLATE

FLOW




Take the freedom to create your own pattern. Combine open versions with the solid variant for either a playful or sleek overall look.





As a guideline, a parking space for a standard family car measures 2,5 x 5 m on a driveway or 2,5 x 6 m for parallel parking. Compose your own layout using the different models in the range.

You can choose from Schellevis® Flow eco paver slabs in sizes 800 x 625 mm or 1250 x 625 mm (L x W), available in various designs.



ASSORTMENT OVERVIEW

Product	l x w x d (mm)	weight (kg)	colours	reinforced	permeable paving	can be used for	type
Slabs							
	200 x 200 x 50	4	✓ ✓ ✓ ✓ ✓			✓	
	200 x 200 x 70	6	✓ ✓ ✓			✓ ✓	
	400 x 400 x 50	17	✓ ✓ ✓			✓	
	400 x 400 x 70	25	✓ ✓ ✓			✓ ✓	
	500 x 500 x 50	27	✓ ✓ ✓ ✓ ✓ ✓			✓	
	500 x 500 x 70	39	✓ ✓ ✓ ✓			✓ ✓	
	600 x 400 x 50	26	✓ ✓ ✓			✓	
	600 x 400 x 70	37	✓ ✓ ✓			✓ ✓	
	600 x 600 x 50	39	✓ ✓ ✓ ✓ ✓ ✓			✓	
	600 x 600 x 70	55	✓ ✓ ✓ ✓			✓ ✓	
Large format slabs							
	800 x 400 x 50	36	✓ ✓ ✓	✓		✓	
	800 x 800 x 50	71	✓ ✓ ✓ ✓ ✓ ✓	✓		✓ ✓	
	800 x 800 x 100	143	✓ ✓ ✓	✓		✓ ✓ ✓	
	1000 x 1000 x 50	109	✓ ✓ ✓ ✓ ✓ ✓	✓		✓ ✓ ✓	
	1000 x 1000 x 80	178	✓ ✓ ✓ ✓	✓		✓ ✓ ✓ ✓	
	1000 x 1000 x 100	223	✓ ✓ ✓	✓		✓ ✓ ✓ ✓	
	1000 x 1000 x 120	267	✓ ✓ ✓	✓		✓ ✓ ✓ ✓	
	1200 x 600 x 70	112	✓ ✓ ✓	✓		✓ ✓ ✓ ✓	
	1200 x 1200 x 70	224	✓ ✓ ✓	✓		✓ ✓ ✓ ✓	
	1200 x 1200 x 120	384	✓ ✓ ✓	✓		✓ ✓ ✓ ✓	
	1250 x 625 x 140	248,5	✓	✓		✓ ✓ ✓ ✓	①
	1500 x 1200 x 100	400	✓ ✓ ✓ ✓	✓		✓ ✓ ✓ ✓	
	2000 x 500 x 100	225	✓ ✓ ✓ ✓	✓		✓ ✓ ✓ ✓	
	2000 x 1000 x 100	450	✓ ✓ ✓ ✓ ✓ ✓	✓		✓ ✓ ✓ ✓	
	2400 x 600 x 120	385	✓ ✓	✓		✓ ✓ ✓ ✓	
2400 x 1200 x 120	770	✓ ✓ ✓	✓		✓ ✓ ✓ ✓		
Curb stones							
	1000 x 200 x 50	22	✓ ✓ ✓ ✓ ✓ ✓	✓		✓	
	1000 x 200 x 70	31	✓ ✓ ✓	✓		✓	
	1000 x 300 x 50	33	✓ ✓ ✓	✓		✓	
	1000 x 300 x 70	46	✓ ✓ ✓	✓		✓ ✓	
	1000 x 400 x 50	43	✓ ✓ ✓	✓		✓	
	1000 x 400 x 70	61	✓ ✓ ✓	✓		✓ ✓	
	1000 x 500 x 50	54	✓ ✓ ✓	✓		✓	
	1000 x 500 x 70	77	✓ ✓ ✓	✓		✓ ✓	

Product	l x w x d (mm)	weight (kg)	colours	reinforced	permeable paving	can be used for	type
Steps							
	2000 x 370 x 150	250	✓ ✓			✓	Block model
	1000 x 370 x 150	125	✓ ✓ ✓ ✓			✓	Block model
	500 x 370 x 150	63	✓ ✓ ✓			✓	Block model
	600 x 600 x 150	104	✓ ✓ ✓		✓	✓	Corner 37 inside ②
	600 x 600 x 150	104	✓ ✓ ✓		✓	✓	Corner 37 outside ③
	1000 x 400 x 200	173	✓ ✓ ✓ ✓			✓	Block model
	500 x 400 x 200	87	✓ ✓ ✓			✓	Block model
	600 x 600 x 200	137	✓ ✓ ✓			✓	Corner 40 inside ②
	600 x 600 x 200	137	✓ ✓ ✓			✓	Corner 40 outside ③
	1000 x 400 x 150	57	✓ ✓ ✓		✓	✓	L-model
Pool copings							
	1000 x 400 x 50	43	✓ ✓ ✓ ✓	✓	✓		
	1000 x 1000 x 50	109	✓ ✓ ✓		✓		
	1000/600 x 400 x 50	35	✓ ✓ ✓ ✓	✓	✓		Mitre corner piece left
	1000/600 x 400 x 50	35	✓ ✓ ✓ ✓	✓	✓		Mitre corner piece right
	1000 x 1000 x 50	108	✓ ✓ ✓		✓		Corner piece
Seating elements							
	1000 x 600 x 400	520	✓ ✓ ✓	✓		✓	Seating element ⑤
	900 x 500 x 150	151	✓ ✓ ✓				Base
	2000 x 600 x 400	1040	✓ ✓ ✓			✓	Seating element ⑤
	1900 x 500 x 150	318	✓ ✓ ✓				Base
	500 x 500 x 500	280	✓ ✓ ✓			✓	Cube
	∅ 600 x 400	250	✓* ✓* ✓*			✓	Round S
	∅ 800 x 400	450	✓* ✓* ✓*			✓	Round M
	∅ 1000 x 400	700	✓* ✓* ✓*			✓	Round L
	2000 x 600 x 470	1269	✓* ✓* ✓*			✓	Curve radius 10°
	Stackable elements - standard and greenwall						
	750 x 150 x 150	38	✓ ✓ ✓ ✓	✓		✓ ✓	
	1000 x 200 x 120	55	✓ ✓			✓ ✓	
	1000 x 200 x 200	91	✓ ✓ ✓			✓ ✓	⑧
	1000 x 200 x 120	53	✓ ✓ ✓			✓ ✓	Sleeper ④
	1000 x 200 x 200	69	✓			✓	Greenwall ⑥ ⑧
	1000 x 200 x 200	80	✓			✓	Greenwall ⑦ ⑧

① Only available in combination with Eco paver plates Flow
 ② Outer side rounded 90°
 ③ Inner side rounded 90°
 ④ With chamfered edge


⑤ Seating element can optionally be ordered and placed on a slightly smaller pedestal
 ⑥ Cut-out for planting and drip hose
 ⑦ Cut-out for drip hose
 ⑧ All 1000 x 200 x 200 mm stackable elements can be combined to build the green wall

* Not a stock item, produced on request.

CONTINUED ASSORTMENT OVERVIEW

Product	l x w x d (mm)	weight (kg)	colours						reinforced	permeable paving	can be used for						type
Block pavers																	
	210 x 70 x 80	2,6	✓	✓	✓	✓	✓	✓		✓	✓					Block paver large	
	150 x 50 x 70	1	✓	✓						✓	✓					Block paver small	
	400 x 100 x 100	9	✓							✓	✓					Block paver XL	
Eco paver products																	
	375 x 375 x 70	14	✓	✓			✓		✓	✓	✓					Hexagon open	
	400 x 100 x 100	10	✓						✓	✓	✓					Nibbed paver 50 x 60 mm	
	1000 x 300 x 70	39	✓	✓				✓	✓	✓	✓					Eco-paver long	
	1000 x 500 x 70	70	✓	✓				✓	✓	✓	✓					Eco-paver long	
	600 x 600 x 100	45	✓	✓					✓	✓	✓					Facet open	
	800 x 800 x 100	97	✓	✓				✓	✓	✓	✓					Leaf	
	1000 x 1000 x 120	173	✓	✓				✓	✓	✓	✓					Wecko	
	2000 x 1000 x 100	408	✓	✓				✓	✓	✓	✓					Matrix	
	1250 x 625 x 140	208	✓	*				✓	✓	✓	✓					Flow 50RL	
	1250 x 625 x 140	209	✓	*				✓	✓	✓	✓					Flow 50RR	
	1250 x 625 x 140	209	✓	*				✓	✓	✓	✓					Flow 50	
	1250 x 625 x 140	175	✓	*				✓	✓	✓	✓					Flow 100RL	
	1250 x 625 x 140	175	✓	*				✓	✓	✓	✓					Flow 100RR	
	1250 x 625 x 140	173	✓	*				✓	✓	✓	✓					Flow 100	
	1250 x 625 x 140	157	✓	*				✓	✓	✓	✓					Flow 125R	
	1250 x 625 x 140	151	✓	*				✓	✓	✓	✓					Flow 125	
	800 x 625 x 140	113	✓	*				✓	✓	✓	✓					Flow 60RL	
	800 x 625 x 140	113	✓	*				✓	✓	✓	✓					Flow 60RR	
	800 x 625 x 140	109	✓	*				✓	✓	✓	✓					Flow 60	
	800 x 625 x 140	95	✓	*				✓	✓	✓	✓					Flow 80R	
	800 x 625 x 140	112	✓	*				✓	✓	✓	✓					Flow 80	
Special shape slabs																	
	1200 x 300/600 x 80	98	✓	✓				✓	✓	✓					Trapezium		
	Ø 600 x 70	45	✓	✓					✓	✓					Round		
	Ø 800 x 70	79	✓	✓				✓	✓	✓					Round		
	Ø 1000 x 80	142	✓	✓				✓	✓	✓					Round		
	600 x 600 x 100	70	✓	✓					✓	✓					Facet		
	375 x 375 x 70	19	✓	✓			✓		✓	✓					Hexagon		

* Not a stock item, produced on request.



Photography: Cees Rijnen



Public spaces

Designing public spaces requires more than aesthetics. It calls for robust, durable solutions that are functional and contribute to the wellbeing of people and their environment. Every project is unique. That is why Schellevis® actively thinks along from design to execution.

As a partner for architects, landscape designers, developers and contractors, we offer not only a broad range but also tailor-made solutions. Working together towards the future – beautiful and sustainable – that is what Schellevis® stands for.

*Project: Vic Activating Landscapes
Photography: Walter Herfst
Slab 600 x 600 x 50 mm – grey*



LM Aqua - permeable joint

JOINTING OF PAVING

Applying a joint is important because it:

- Provides stability to the paving
- Absorbs minor dimensional differences, allowing clean lines
- Absorbs stresses caused by expansion or contraction due to temperature differences
- Reduces weed growth between the paving

Installers of Schellevis® products often use:

- Basalt chippings basalt or other clean, angular stone chippings
- Jointing sand such as silver sand such as finely crushed basalt/granite
- Permeable, weed-inhibiting jointing compounds (for example LM Aqua by Varistone)

- Silicone sealing of joints. Make sure that the silicone sealant is suitable for concrete elements and can compensate for a minimum of 25% warp.


We advise against ever using crusher run or street sand to joint the paving. Both are extremely sensitive to weed growth and can leave permanent stains on the paving.



View documentation



LM Aqua permeable joint



Chippings/gravel



Basalt chippings

For full installation instructions, see the knowledge base at www.schellevis.nl/en.

MAINTENANCE TIPS

Schellevis® slabs require little maintenance and are easy to clean. When the sun shines, algae and green deposits usually disappear quickly.

Still, it is advisable to:

- Sweep regularly and rinse with water.
- Remove accumulated leaves with a soft broom – tannins from leaves may cause temporary marks.
- Remove algae with soft soap and a soft broom.
- Never use a pressure washer – this damages the surface and encourages faster algae growth.



For full maintenance instructions, visit the knowledge base at www.schellevis.nl/en or scan the QR code.





Project: Hoveniersbedrijf van Aken | Gerben en Anneke photography

YOUR GARDEN IN THE SPOTLIGHT?

Are you proud of your garden? Share it with us.

Do you have a beautiful garden or outdoor space featuring Schellevis® products? We would love to hear from you. We are always looking for inspiring gardens and projects to showcase on our website, in our brochure and via social media.

Let us know!

Send an email to marketing@schellevis.nl – and who knows, your garden might soon be featured.



**SCHELLEVIS®
PARTNERS**

Showtuin Heeten

Show garden

Would you like to see our products in real life at one of our dealers? Across the country we work with sales partners that have a show garden. There you will find a wide range of Schellevis® products and receive detailed explanations.

They also have a broad network of landscapers and garden designers who can help you design an outdoor space that suits you.

Need inspiration?

Take a look at our website and discover how Schellevis® products are used in real projects.

Explore a wide range of outdoor spaces, applications and product possibilities. From private gardens to larger landscape designs, our projects will help you get a better understanding of the look and feel of Schellevis.

Need a garden designer or landscaper?

Designing and building a garden is real craftsmanship – the same applies to laying Schellevis® slabs. That is why we recommend engaging professionals to install the slabs. We are happy to help you get in touch with the right party.



Scan the QR code to get in touch or explore more.

COLOPHON

This brochure is published by Schellevis® and produced with the cooperation of:

CREATED BY

- André Driessen, Andries text, training & advice
- Maartje Knipscheer, Freelance Marcom Advisor
- Kampert Nauta, Print Management
- Marc de Jong, de plantage graphic design

PHOTOGRAPHY

- Robert Koelewijn
- Peter Baas
- Hans Gorter
- Gerben en Anneke Photography
- Vroni Bollen Photography
- Walter Herfst
- Cees Rijnen
- Marian Verhey
- Matt Elson (Rob Hughes garden)

All specifications and information have been compiled with care. However, no rights can be derived from the contents. Schellevis® accepts no liability for any errors or omissions and the consequences thereof.

In the interest of innovation and improvement, we reserve the right to change products and specifications. Colours shown may differ from reality due to the printing process.

2026 Schellevis® | 5e edition | All rights reserved.

No part of this publication may be used without permission from Schellevis®.



Design: Robert Hughes Studio | Slab 1000 x 1000 x 100 mm and 2000 x 1000 x 100 mm – crème





Schellevis B.V.


Loswal 11

4271 BA Dussen


The Netherlands

 +31 (0)416 39 11 47

 verkoop@schellevis.nl

 www.schellevis.nl/en

 Schellevisbeton

 @schellevis

 @schellevis_beton

 schellevis-beton