




“

We create
beautiful
things from
wa(e)ste





Circular Old Dutch concrete

Cityscape, Box & ParkWae

About Studio Wae

Studio Wae offers the largest collection of sustainable decorative paving, is aesthetic and consists of approx. 76% reused raw materials. These are obtained through Urban Mining from old paving and demolition materials and reused in new concrete.

We want to create awareness about the reuse of raw materials: used materials form the basis for high-quality products. By using as few new raw materials as possible, we save no less than 107 kg of raw material extraction per m² and almost 10 kg of CO₂ emissions. Our concrete is fully reusable and thus remains part of a circular life cycle.



Circular Schellevis

The 'Cityscape', 'Box' and 'ParkWae' are part of Studio Wae's paving collection and consist of approx. 76% recycled raw materials.

Because of their graphic shape, the tiles are a tribute to M.C. Escher. They are slip-resistant, water-permeable and sustainable.

By leaving out tiles in your project, you can create small wadis or leave spaces open and fill them with greenery.

This contributes to better drainage of rainwater, as does the deep false joint in the tile.

“

The circular design vision of Studio Wae combined with the quality and expertise of Schellevis.

Collaboration

With the collaboration between Schellevis and Studio Wae, we are taking the next step in our ambition to further enrich outdoor spaces. Where Schellevis has stood for proven quality and reliable delivery capacity for many years, Studio Wae adds distinctive design and a sustainable vision. Together, we are taking sustainable paving to a higher level.

Cityscape

What is special about the Cityscape is that it can be laid without edge restraints, because the tiles 'interlock'.

A characteristic feature is that attractive winding paths and terraces with irregular shapes can be created.


It is also highly suitable for use in public spaces.

This tile fits well with 'Operation Stonebreak' (= less concrete and more greenery). You only need to pave what you actually use and keep the rest green.

Dimensions: 660 x 510 x 70 mm (8 tiles per m²)

Weight: Approx. 19 kg per tile

Permissible load on sand bed: 2500 kg



Box

The Box also has a geometric appearance and looks slightly calmer.

By laying it diagonally, it looks its best.

Very suitable for larger surfaces and for high-rise buildings.

Available in 2 thicknesses: 6 cm (for terraces and paths) and 8 cm (for parking spaces).

Dimensions: 600 x 400 x 60 mm (5 tiles per m²)


Weight: Approx. 28 kg per tile

Permissible load on sand bed: 2500 kg

Dimensions: 600 x 400 x 80 mm (5 tiles per m²)

Weight: Approx. 38 kg per tile

Permissible load on sand bed: 3500 kg



ParkWae

Choose a climate-adaptive parking space or outdoor area with our approx. 76% circular grass tile with 37.7% open space.

The ParkWae can be filled with, among other things, plants, grass, gravel, olivine, (peach) stones, etc.

Dimensions: 600 x 400 x 120 mm (5 tiles per m²)

Weight: Approx. 35 kg per tile

Permissible load on sand bed: 2500 kg



- ✓ water storage
- ✓ water buffer
- ✓ climate adaptation
- ✓ better soil life
- ✓ heat stress reduction
- ✓ sustainable paving
- ✓ green parking space
- ✓ biodiversity

A green parking space

With the right balance between greenery and paving, the ParkWae is:

- a sustainable solution for paving the parking area
- a way to prevent the soil from drying out; as a result, watering is hardly necessary



Biodiversity

Give rainwater a place and replace stones with more greenery. The 'open' structure of our grass tile enables infiltration and drainage of rainwater. The ParkWae tile is 37.7% open. This makes the water permeability very high. More water in the soil contributes to a healthy outdoor space. You can fill the tile with grass, olivine, gravel, peach stones, etc.



Climate adaptation

Greening outdoor spaces is also an effective measure against heat stress. The tile provides the necessary water buffer, allowing long periods of drought during the summer to be bridged effectively.

Aesthetic decorative paving

The ParkWae can be beautifully combined with our Box design outdoor tile. You can lay these in the same pattern, allowing them to flow seamlessly into one another. This creates a unique graphic appearance and allows you to highlight a parking area in a creative way

Maintenance and cleaning

Green deposits can develop in shady and damp areas. Preferably clean the tiles with clean water and a suitable maintenance product for terraces and driveways. Do not use a pressure washer, so that the structure and top layer remain in good condition. Always follow the instructions for the selected cleaning product. More information and maintenance instructions can be found on the website:

www.schellevis.nl/en/knowledge-base/faq.

Jointing

For a neat Wae that remains beautiful for years, we recommend a water-permeable, hard-setting joint. This allows the graphic pattern of the paving to stand out well and gives weeds less opportunity to grow. Various suitable jointing materials are available.



Always carefully read the application instructions for the selected jointing material.

Studio Wae does not provide technical advice on its application.

Make an impact with your project?

All manuals with instructions for paving with our circular concrete can be downloaded at:


www.schellevis.nl/en/product-range/studio-wae-pavers.



PSO 30+ Level 3 certification

Studio Wae is proud of the PSO30+ Level 3 certificate - the highest level of social entrepreneurship in the Netherlands.

Every project we realise contributes directly to Social Return on Investment (SROI) objectives. Choosing Studio Wae means choosing more than striking design - you choose real social impact.



For sales, advice and project support, please contact Studio Wae or Schellevis:



Schellevis B.V.
Loswal 11
4271 BA Dussen
The Netherlands

+3100 416 39 11 47
verkoop@schellevis.nl
www.schellevis.nl/en