

Approved Body No. 1121

Certificate of Constancy of Performance

1121-CPR-UK-CA7015

In compliance with Construction Products Regulation 2011 (retained EU law EUR 2011/305) as amended by the Construction Products (Amendment etc.) (EU Exit) Regulations 2019 and the Construction Products (Amendment etc.) (EU Exit) Regulations 2020, this certificate applies to the Construction Product:

Insulating Glazing Units incorporating AGC Pyrobel and Pyrobelite glasses, produced and placed on the market by Press Glass

Intended use: Insulating Glass units and Laminated Glass and Laminated safety glass to be used in buildings and construction works

Product	Fire Resistance Classification*
Vertical installations	
Pyrobelite 7	EW30
Pyrobelite 7 ISO	EW60-ef o → i
Pyrobelite 10	EW30
Pyrobelite 13	EW30
Pyrobelite 12	EI20/EW60
Pyrobel 8	EI15/EW30
Pyrobel 16	EI30/EW60
	EI30
Pyrobel 17	EI45
Pyrobel 17N	EW60
	EI45/EW60
Pyrobel 21	EI45/EW60
Pyrobel 23	EI60
Pyrobel 25	EI60
Pyrobel 30	EI90
Pyrobel 35	EI90
Pyrobel 53	EI120
Pyrobel 54	EI120/EW120
Pyrobel 81	EI180
Pyrobelite 7 EG/ Pyrobelite 11	EW30
Pyrobelite 9 EG	EI20/EW30
Pyrobelite 12 EG	EI20/EW60
Pyrobel 8 EG	EI15/EW30
Pyrobel 16 EG	EI30/EW60
Pyrobel 17 EG	EI45
Pyrobel 17 N EG	EW60
	EI45/EW60
Pyrobel 21 EG	EI45/EW60
Pyrobel 23 EG	EI60
Pyrobel 25 EG	EI60
Pyrobel 30 EG	EI90
Pyrobel 30 DGU	EI90
Pyrobel 35 EG	EI90
Pyrobel 53 EG	EI120
Pyrobel 53 N	EI120
Pyrobel 53 N EG	EI120
Pyrobel 54 EG	EI120/EW120
Pyrobel 81 EG	EI180

Approved Body No. 1121

Certificate of Constancy of Performance

1121-CPR-UK-CA7015

Horizontal installations	
Pyrobel 19H	EI30
Pyrobel 23H	EI45
Pyrobel 28H	EI60
Pyrobel 33H	REI60

1. *Classification Reports (available on request from the glass manufacturer) define Fire Resistance Classification and is dependent on framing system and glazing configuration. The Classification Reports which determine the above EN13501-2 classifications detail the precise field of application for fire resistant applications within the scope of UKCA marking including product variants. Additional 'market application' tests or extended application reports may also be appropriate for use with UKCA marked glasses.

2. This Certificate of Constancy of Performance indicates groups of glass structures/designs. It is not possible to list all available glass structures/designs in detail. These are available in high diversity and described for each product in the Declaration of Performance.

3. The Declaration of Performance for each product configuration including the characteristics of performance is made available by the manufacturer.

Placed on the market under the name of

**Press Glass Sp. z o.o.
ul. Golfowa 19
42-274 Konopiska
Poland**

and produced in the manufacturing plants:

E014133-1 & E014133-2

This is coded format, and the information is held by the Approved Body.

This certificate attests that all provisions concerning the assessment and verification of constancy of performance and the performances described in Annex ZA of the standard(s)

EN 14449: 2005/AC: 2005 & EN 1279-5: 2018

Under System 1 for the performance set out in this certificate are applied and that the Factory Production Control conducted by the manufacturer is assessed to ensure the constancy of performance of the construction product.

This certificate was first issued on **04/02/2022** and revised on **17/03/2025** and will remain valid until the below date as long as neither the designated standard, the Construction Product, the AVCP methods nor the manufacturing conditions in the plant are modified significantly, or unless suspended or withdrawn by the Approved Product Certification Body.

UKCA certificate valid to: **03/02/2028**



0087


Paul Duggan
Certification Manager

**Warringtonfire Testing and Certification Limited
Unit 722, The Quadrant, Birchwood Park, Warrington, WA3 6FW, UK**